


JINZITA GATE HARDWARE




SLIDING GATE WHEEL SERIES	滑轮系列	PG.1-10
CANTILEVER GATE CARRIAGE SERIES	悬轮系列	PG.11-20
END STOP SERIES	门兜系列	PG.21-23
HANGING DOOR ROLLER SERIES	挂轮系列	PG.24-33
FOLDING DOOR SERIES	折叠门系列	PG.34-35
GATE STOPPER	门吸	PG.36-37
NYLON ROLLER SERIES	尼龙轮系列	PG.38-41
GATE HINGE	门铰链	PG.42-51
GATE LATCH	门插销	PG.52-54
POST CAP	柱盖	PG.55-56
OTHER PRODUCTS	其他	PG.57-59
304 STAINLESS STEEL	不锈钢	PG.60-65
AUSTRALIAN PRODUCTS	澳洲产品	PG.66-69
AMERICAN PRODUCTS	美国产品	PG.70-76




Sliding Gate Wheel Series

滑轮系列




Sliding Gate Wheel Series



梯形Y槽单轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing, Y groove)


NO.	D	A	C	H	L	WT(g)
HT1Y40	38	12	20	44	58	132
HT1Y50	50	15	25	57	75	257
HT1Y60	58	17	28	64	85	387
HT1Y70	68	20	35	80	100	616
HT1Y80	78	20	35	85	100	779
HT1Y90	88	20	36	100	132	1108
HT1Y100	98	22	36	105	132	1371
HT1Y120	118	25	37	127	158	2307



梯形Y槽双轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings, Y groove)


NO.	D	A	C	H	L	WT(g)
HT2Y40	38	22	29	44	58	188
HT2Y50	48	23	30	56	72	332
HT2Y60	58	25	38	67	100	535
HT2Y70	68	25	35	80	100	749
HT2Y80	78	25	35	85	100	936
HT2Y90	88	25	36	100	132	1312
HT2Y100	98	25	36	105	132	1562
HT2Y120	118	30	42	127	158	2762



梯形U槽单轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing, U groove)

NO.	D	A	C	H	d	WT(g)
HT1U30R3	30	10	16	35	6	62
HT1U40R5	38	12	20	44	10.5	127
HT1U50R6	50	15	25	57	12.5	237
HT1U60R8	58	17	28	64	16.5	397
HT1U70R8	68	20	35	80	16.5	575
HT1U80R8	78	20	35	85	16.5	731
HT1U90R8	88	20	36	100	16.5	1043
HT1U100R8	98	22	36	105	16.5	1337
HT1U80R10	78	24	35	85	20.5	776
HT1U90R10	88	25	36	100	20.5	1118
HT1U100R10	98	25	36	105	20.5	1360
HT1U120R10	118	25	37	127	20.5	2112



梯形U槽双轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings, U groove)


NO.	D	A	C	H	d	WT(g)
HT2U40R8	38	22	29	44	16.5	180
HT2U50R8	48	23	31	56	16.5	325
HT2U60R10	58	25	37	67	20.5	492
HT2U70R10	68	25	35	80	20.5	646
HT2U80R10	78	25	35	85	20.5	845
HT2U90R10	88	25	36	100	20.5	1180
HT2U100R10	98	25	36	105	20.5	1436
HT2U120R10	118	30	42	127	20.5	2640



梯形V槽单轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing, V groove)

NO.	D	A	C	H	L	WT(g)
HT1V30	30	10	16	35	45	63
HT1V40	38	12	20	44	58	131
HT1V50	50	15	25	57	75	265
HT1V60	58	17	28	64	85	390
HT1V70	68	20	35	80	100	627
HT1V80	78	20	35	85	100	792
HT1V90	88	20	36	100	132	1111
HT1V100	98	22	36	105	132	1372
HT1V120	118	25	37	127	158	2328




梯形V槽双轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings, V groove)

NO.	D	A	C	H	L	WT(g)
HT2V40	38	22	29	44	58	190
HT2V50	48	23	31	56	75	335
HT2V60	58	25	37	67	100	541
HT2V70	68	25	35	80	100	757
HT2V80	78	25	35	85	100	957
HT2V90	88	25	36	100	132	1321
HT2V100	98	25	36	105	132	1578
HT2V120	118	30	42	127	158	2774

Sliding Gate Wheel Series


滑轮系列



双片Y槽单轴承滑轮

Sliding Gate Wheel with Double Plates(Single Bearing, Y groove)


NO.	Dmm	A	C	H	L	WT(g)
HS1Y50	50	15	24	7	50	212
HS1Y60	58	17	28	7	59	320
HS1Y70	68	20	27	11	78	518
HS1Y80	78	20	27	16	78	681
HS1Y90	88	20	30	12	78	920
HS1Y100	98	22	30	17	98	1265
HS1Y120	118	25	34	22	118	2071



双片Y槽双轴承滑轮

Sliding Gate Wheel with Double Plates(Double Bearings, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HS2Y60	58	25	39	7	59	427.4
HS2Y70	68	25	37	11	78	640
HS2Y80	78	25	37	16	78	828
HS2Y90	88	25	38	12	78	1133
HS2Y100	98	25	38	17	98	1465
HS2Y120	118	30	42	22	118	2534



双片U槽单轴承滑轮

Sliding Gate Wheel with Double Plates(Single Bearing, U groove)

NO.	D mm	A	C	H	d	WT(g)
HS1U50R6	50	15	24	7	12.5	192
HS1U60R8	58	17	28	7	16.5	330
HS1U70R8	68	20	27	11	16.5	477
HS1U80R8	78	20	27	16	16.5	633
HS1U90R8	88	20	30	12	16.5	854
HS1U100R8	98	22	30	17	16.5	1231
HS1U80R10	78	24	30	16	20.5	678
HS1U90R10	88	25	30	12	20.5	929
HS1U100R10	98	25	30	17	20.5	1254
HS1U120R10	118	25	34	22	20.5	1914



双片U槽双轴承滑轮

Sliding Gate Wheel with Double Plates(Double Bearings, U groove)

NO.	D mm	A	C	H	d	WT(g)
HS2U60R10	58	25	39	7	20.5	382.8
HS2U70R10	68	25	37	11	20.5	537
HS2U80R10	78	25	37	16	20.5	737
HS2U90R10	88	25	38	12	20.5	1001
HS2U100R10	98	25	38	17	20.5	1339
HS2U120R10	118	30	42	22	20.5	2412



双片V槽单轴承滑轮

Sliding Gate Wheel with Double Plates(Single Bearing, V groove)

NO.	Dmm	A	C	H	L	WT(g)
HS1V50	50	15	24	7	50	220
HS1V60	58	17	28	7	59	323
HS1V70	68	20	27	11	78	530
HS1V80	78	20	27	16	78	694
HS1V90	88	20	30	12	78	922
HS1V100	98	22	30	17	98	1266
HS1V120	118	25	34	22	118	2091




双片V槽双轴承滑轮

Sliding Gate Wheel with Double Plates(Double Bearings, V groove)

NO.	D mm	A	C	H	L	WT(g)
HS2V60	58	25	39	7	59	432.4
HS2V70	68	25	37	11	78	648
HS2V80	78	25	37	16	78	849
HS2V90	88	25	38	12	78	1142
HS2V100	98	25	38	17	98	1481
HS2V120	118	30	42	22	118	2546


Sliding Gate Wheel Series



叠片Y槽单轴承滑轮

Sliding Gate Wheel with Interior Bracket(Single Bearing, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HD1Y50	50	15	25	8.5	95	238
HD1Y60	58	17	26	10	110	350
HD1Y70	68	20	32	7	136	603
HD1Y80	78	20	32	12	136	766
HD1Y90	88	20	34	8	152	1030
HD1Y100	98	22	34	13	152	1293
HD1Y120	118	25	36	12	200	2161
HD1Y140	138	25	36	18	200	3063



叠片Y槽双轴承滑轮

Sliding Gate Wheel with Interior Bracket(Double Bearings, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HD2Y60	58	25	36	15	120	509
HD2Y70	68	25	33	7	136	725
HD2Y80	78	25	33	12	136	913
HD2Y90	88	25	33	8	152	1236
HD2Y100	98	25	33	13	152	1486
HD2Y120	118	30	42	16	200	2647
HD2Y140	138	30	42	26	200	3029
HD2Y160	158	30	44	13	225	4782
HD2Y200	198	30	44	33	260	7760



叠片U槽单轴承滑轮

Sliding Gate Wheel with Interior Bracket(Single Bearing, U groove)


NO.	D mm	A	C	H	d	WT(g)
HD1U50R6	50	15	25	8.5	12.5	218
HD1U60R8	58	17	26	10	16.5	360
HD1U70R8	68	20	32	7	16.5	562
HD1U80R8	78	20	32	12	16.5	718
HD1U90R8	88	20	34	8	16.5	965
HD1U100R8	98	22	34	13	16.5	1259
HD1U80R10	78	24	32	12	20.5	763
HD1U90R10	88	25	34	8	20.5	1040
HD1U100R10	98	25	34	13	20.5	1282
HD1U120R10	118	25	36	12	20.5	2004
HD1U140R10	138	25	36	18	20.5	2844



叠片U槽双轴承滑轮

Sliding Gate Wheel with Interior Bracket(Double Bearings, U groove)


NO.	D mm	A	C	H	d	WT(g)
HD2U60R10	58	25	36	15	20.5	464
HD2U70R10	68	25	33	7	20.5	622
HD2U80R10	78	25	33	12	20.5	821
HD2U90R10	88	25	33	8	20.5	1104
HD2U100R10	98	25	33	13	20.5	1359
HD2U120R10	118	30	42	16	20.5	2525
HD2U140R10	138	30	42	26	20.5	3547
HD2U160R10	158	30	44	13	20.5	4617
HD2U200R10	198	30	44	33	20.5	7593



叠片V槽单轴承滑轮

Sliding Gate Wheel with Interior Bracket(Single Bearing, V groove)

NO.	D mm	A	C	H	L	WT(g)
HD1V50	50	15	25	8.5	95	247
HD1V60	58	17	26	10	110	353
HD1V70	68	20	32	7	136	615
HD1V80	78	20	32	12	136	780
HD1V90	88	20	34	8	152	1033
HD1V100	98	22	34	13	152	1294
HD1V120	118	25	36	12	200	2181
HD1V140	138	25	36	18	200	3050




叠片V槽双轴承滑轮

Sliding Gate Wheel with Interior Bracket(Double Bearings, V groove)

NO.	D mm	A	C	H	L	WT(g)
HD2V60	58	25	36	15	120	514
HD2V70	68	25	33	7	136	733
HD2V80	78	25	33	12	136	934
HD2V90	88	25	33	8	152	1245
HD2V100	98	25	33	13	152	1502
HD2V120	118	30	42	16	200	2659
HD2V140	138	30	42	26	200	3644
HD2V160	158	30	44	13	225	4795
HD2V200	198	30	44	33	260	7791

Sliding Gate Wheel Series


滑轮系列



带螺杆Y槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, Y groove)


NO.	D mm	A	C	E	WT(g)
HL1Y40	38	12	24	M8*40	102
HL1Y50	50	15	26	M8*40	152
HL1Y60	58	17	24	M10*55	284
HL1Y70	68	20	28	M10*55	444
HL1Y80	78	20	28	M10*55	607
HL1Y90	88	20	30	M12*60	826
HL1Y100	98	22	30	M12*60	1089
HL1Y120	118	25	34	M14*70	1834
HL1Y140	138	25	44	M16*75	2700
HL1Y160	158	30	44	M16*75	4134



带螺杆Y槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, Y groove)


NO.	D mm	A	C	E	WT(g)
HL2Y70	68	25	31	M10*55	550
HL2Y80	78	25	31	M10*55	736
HL2Y90	88	25	30	M14*70	1045
HL2Y100	98	25	30	M14*70	1294
HL2Y120	118	30	42	M14*70	2244
HL2Y140	138	30	42	M14*70	3136
HL2Y160	158	30	42	M14*70	4183
HL2Y180	178	30	42	M14*70	5570
HL2Y200	198	30	42	M14*70	6706



带螺杆U槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, U groove)


NO.	D mm	A	C	E	d	WT(g)
HL1U40R5	38	12	24	M8*40	10.5	97
HL1U50R6	50	15	26	M8*40	12.5	132
HL1U60R8	58	17	24	M10*55	16.5	294
HL1U70R8	68	20	28	M10*55	16.5	403
HL1U80R8	78	20	28	M10*55	16.5	559
HL1U90R8	88	20	30	M12*60	16.5	761
HL1U100R8	98	22	30	M12*60	16.5	1055
HL1U80R10	78	24	28	M10*55	20.5	634
HL1U90R10	88	25	30	M12*60	20.5	836
HL1U100R10	98	25	30	M12*60	20.5	1078
HL1U120R10	118	25	34	M14*70	20.5	1677
HL1U140R10	138	25	44	M16*75	20.5	2482
HL1U160R10	158	30	44	M16*75	20.5	4017



带螺杆U槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, U groove)


NO.	D mm	A	C	E	d	WT(g)
HL2U70R10	68	25	31	M10*55	20.5	446
HL2U80R10	78	25	31	M10*55	20.5	645
HL2U90R10	88	25	30	M14*70	20.5	913
HL2U100R10	98	25	30	M14*70	20.5	1168
HL2U120R10	118	30	42	M14*70	20.5	2122
HL2U140R10	138	30	42	M14*70	20.5	3054
HL2U160R10	158	30	42	M14*70	20.5	4018
HL2U180R10	178	30	42	M14*70	20.5	5236
HL2U200R10	198	30	42	M14*70	20.5	6539



带螺杆V槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, V groove)

NO.	D mm	A	C	E	WT(g)
HL1V40	38	12	24	M8*40	101
HL1V50	50	15	26	M8*40	161
HL1V60	58	17	24	M10*55	286
HL1V70	68	20	28	M10*55	456
HL1V80	78	20	28	M10*55	621
HL1V90	88	20	30	M12*60	829
HL1V100	98	22	30	M12*60	1090
HL1V120	118	25	34	M14*70	1854
HL1V140	138	25	44	M16*75	2688
HL1V160	158	30	44	M16*75	4155




带螺杆V槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, V groove)

NO.	D mm	A	C	E	WT(g)
HL2V70	68	25	31	M10*55	557
HL2V80	78	25	31	M10*55	757
HL2V90	88	25	30	M14*70	1054
HL2V100	98	25	30	M14*70	1310
HL2V120	118	30	42	M14*70	2256
HL2V140	138	30	42	M14*70	3151
HL2V160	158	30	42	M14*70	4196
HL2V180	178	30	42	M14*70	5433
HL2V200	198	30	42	M14*70	6737


Sliding Gate Wheel Series



非洲双轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HF2Y45	43	25	37	49	35	286
HF2Y60	58	31	45	67	48	645



非洲双轴承滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HF2Y70	68	31	45	78	80	903
HF2Y80	78	31	45	83	80	1205
HF2Y100	98	34	49	105	108	2147



带导向轮滑轮

Sliding Gate Wheel


NO.	D	C	A	L	S	H	D1	H1	R	WT(g)
HF2U60WR10	58	31	45	48	4	97	47	30.5	10	933.8



带导向轮滑轮

Sliding Gate Wheel


NO.	D	C	A	L	S	H	D1	H1	R	WT(g)
HF2U80WR10	78	31	45	80	4	115	47	30.5	10	1484



特殊滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings)


NO.	D mm	A	C	H	L	WT(g)
HH2X30	30	18	26	36	50	100
HH2X40	38	22	28	47	61	183
HH2X50	48	23	32	57	71	320
HH2X60	58	28	38	67	80	524
HH2X70	68	28	38	79	90	838
HH2X80	78	28	38	89	100	1094
HH2X100	98	28	38	106	120	1718



双轮特殊滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings)


NO.	D mm	A	C	H	L	WT(g)
H2H2X40	38	22	29	45	97	311
H2H2X50	48	23	32	56	117	622
H2H2X60	58	28	38	66	139	1023
H2H2X70	68	28	38	75	173	1490
H2H2X80	78	28	38	86	185	2024
H2H2X100	98	28	38	106	230	3358



U槽可调滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings,U groove)

NO.	D mm	A	C	H	L	d	WT(g)
H2TU60R11	58	31	42	73	60	22	583.6
H2TU60R13	58	31	42	73	60	26	600.6




U槽可调滑轮

Sliding Gate Wheel with Exterior Bracket(Double Bearings,U groove)

NO.	D mm	A	C	H	L	d	WT(g)
H2TU70R11	68	31	46	80	80	22	928.6
H2TU70R13	68	31	46	80	80	26	870.8
H2TU80R11	78	31	46	85	80	22	1142
H2TU80R13	78	31	46	85	80	26	1123

Sliding Gate Wheel Series


滑轮系列



V槽半圆单轴承滑轮 (南美)

Sliding Gate Wheel with Exterior Bracket(Single Bearing, V groove)


NO.	D mm	A	C	H	L	WT(g)
HB1V75	75	25	36	80	100	920



U槽半圆单轴承滑轮 (南美)

Sliding Gate Wheel with Exterior Bracket(Single Bearing, U groove)


NO.	D mm	A	C	H	d	WT(g)
HB1U75R8	75	25	36	80	16.5	902



V槽半圆双轴承滑轮 (南美)

Sliding Gate Wheel with Exterior Bracket(Double Bearings, V groove)


NO.	D mm	A	C	H	L	WT(g)
HB2V100	98	25	38	106	132	1716



U槽半圆双轴承滑轮 (南美)

Sliding Gate Wheel with Exterior Bracket(Double Bearings, U groove)


NO.	D mm	A	C	H	d	WT(g)
HB2U100R10	98	25	38	106	20.5	1588



盒子单轴承U槽滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing,U groove)


NO.	D mm	A	C	H	d	L	WT(g)
HZB1U70R8	68	20	43	84	16.5	100	708
HZB1U90R8	88	20	53	84	16.5	100	1036



盒子单轴承Y槽滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing,Y groove)

NO.	D mm	A	C	H	L	WT(g)
HZB1Y70	68	20	43	84	100	754
HZB1Y90	88	20	53	84	100	1107




方形盒子单轴承Y槽滑轮

Sliding Gate Wheel with Exterior Bracket(Single Bearing,Y groove)

NO.	D mm	A	C	H	L	WT(g)
HZ1Y50	50	15	30	52	60	261.6
HZ1Y70	68	20	39	80	80	662.6




Sliding Gate Wheel Series



铰链 碳钢 & 304

Gate Hinge (Carbon Steel & 304)


Carbon Steel	304						
NO.	D	L	H	C	S	B	WT(g)
JL88A	37	34.5	105	46	4	30	446.6
JL88ASS	37	34.5	105	46	4	30	447.8



带导向弹簧滑轮 碳钢 & 304

Sliding Gate Wheel (Carbon Steel & 304)


Carbon Steel		304						
NO.	A	B	L	D	C	S	H	WT(g)
HL12A	43.5	34	30	58	30	3	115	739.2
HL12ASS	43.5	34	30	58	30	3	115	733.4



带导向弹簧滑轮 碳钢 & 304


Sliding Gate Wheel (Carbon Steel & 304)

Carbon Steel		304							
NO.	A	B	L	D	C	S	H	R	WT(g)
HW2U80R10	43.5	34	30	78	30	3	135	10	739.2
HW2U80R10SS	43.5	34	30	78	30	3	135	10	733.4



Sliding Gate Wheel Series

滑轮系列



单槽单轴承滑轮

Single groove Wheel with single bearing


NO.	D mm	A	C	d	H	M	Z	WT(g)
HL1U60A	58	17	22	10	8	M12	6202	208
HL1U70A	68	17	22	10	9	M12	6202	306
HL1U80A	78	17	22	10	9	M12	6202	443
HL1U90A	88	17	22	10	9	M12	6202	602
HL1U100A	98	17	22	10	9	M12	6202	771
HL1U120A	118	17	22	10	9	M12	6202	1184
HL1U150A	148	19	32	10	9	M16	6204	2309
HL1U180A	178	19	32	10	9	M16	6204	3333
HL1U200A	198	19	32	10	9	M16	6204	4209



双槽单轴承滑轮

Double groove Wheel with single bearing


NO.	D mm	A	C	d	H	M	Z	WT(g)
HL80X2U	78	29	32	10	9	M16	6204	713
HL100X2U	98	29	32	10	9	M16	6204	1266
HL120X2U	118	29	32	10	9	M16	6204	1935
HL150X2U	148	29	32	10	9	M16	6204	3249
HL180X2U	178	29	32	10	9	M16	6204	4901
HL200X2U	198	29	32	10	9	M16	6204	6148



带轴单轴承滑轮

Sliding Gate Wheel with Pin (Single Bearing, V groove)

NO.	D mm	A	L	d	Z	WT(g)
HLZ1V40	40	14	40	8	608	103
HLZ1V48	48	15	60	12	6001	167
HLZ1V63	63	16	60	12	6001	328
HLZ1V73	73	17	70	15	6202	487
HLZ1V90	88	20	80	17	6203	1072
HLZ1V100	98	22	80	17	6203	1270
HLZ1V120	118	25	100	20	6204	2163
HLZ1V150	148	28	100	20	6204	3653






重型双轮滑轮

Sliding Gate Wheel

NO.	D	C1	C	L	L1	d	A	B	S	WT(kg)
HL05A	118	28	50	285	165	20	200	70	10	7.5
HZZH2UR10	78	26	48	201	125	20	145	60	6	

Sliding Gate Wheel Series



V型轨道

Sliding Gate Track(V Groove)

NO.	L mm	H	S	A*B	L1	WT(kg/m)
HGV	58	15	3	11*6	300	1.52

入地轨道



Embedded Gate Track (U Shape Groove)

NO.	L mm	H	S	D	WT(kg/m)
HGRDR10	65	60	3.5	20	4.37
HGRDAR10	65	60	2.5	20	3.2

弧形轨道

Curved Track

NO.	A	B	R	WT(kg)
HGR10W1M	1129	1129	1000	
HGR10W0.5M	629	629	500	



U型轨道

Sliding Gate Track(U Groove)

NO.	L mm	H	S	A*B	R	WT(kg/m)
HGR8	55	15	3	11*6	8	1.52
HGR10	55	15	3.5	11*6	10	1.76

入地轨道连接轴


Embedded Gate Track (U Shape Groove)

NO.	D mm	L	WT(g)
QT01A	13	100	100.8

单滑轮轨道门吸


Gate stopper for sliding gate

NO.	A	B	C	H	L	S	D	WT(g)
MX17A	40	40	18	146	100	4	45	657



Cantilever Gate Carriage Series


悬轮系列



Cantilever Gate Carriage Series


小五轮系列

CANTILEVER GATE CARRIAGE FOR 5 SMALL WHEELS




小五轮 5 Small Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL5S	60	48	15	10	180*150	136	4.72




小五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD5S8S	130	80	82	74	4	1.06




小五轮轨道 Cantilever Gate Track

NO.	L mm	H	A	B	S	WT(kg/m)
XG5S	68	68	23	48	3.5	6/m




小五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL5S	68	15	45	68*68	140	3	0.94



小五轮底座 Adjustable Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ5S	150	180	M16	333	2	2.53



小五轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG5S	68	67	45	40	3	207

Cantilever Gate Carriage Series

悬轮系列


CANTILEVER GATE CARRIAGE FOR 5 MEDIUM WHEELS

中五轮系列




中五轮 5 Medium Wheels

NO.	Dmm	C	Cl	S	A*B	H	WT(kg)
XL5M	78	66	20	10	300*150	173	10.7




中五轮轨道 Cantilever Gate Track

NO.	L mm	H	A	B	S	WT(kg/m)
XG5M	100	89	33	66.5	5	11.8/m




中五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD5M	168	102	108	79	4	1.53




中五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL5M	75	22	62	100*89	144	3	1.44



中五轮底座 Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ5M	150	300	M16	333	2	3.875



中五轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG5M	100	87.5	55	40	3	326.5



Cantilever Gate Carriage Series


大五轮系列

CANTILEVER GATE CARRIAGE FOR 5 LARGE WHEELS




大五轮 5 Large Wheels

NO.	Dmm	C	Cl	S	A*B	H	WT(kg)
XL5G	126	97	30	15	500*200	246	34.0




大五轮轨道 Cantilever Gate Track

NO.	L mm	H	A	B	S	WT(kg/m)
XG5G	140	140	38	98	6	21.9/m




大五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD5G8G	222	154	145	83	4	2.46




大五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL5G	98	30	95	140*140	195	4	3.90



大五轮底座 Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ5G	200	500	M16	430	3	5.685



大五轮后盖 End Cap

NO.	Amm	H	B	L	S	WT(g)
HG5G	140	140	95	86	3	961

Customize the colors you want

YELLOW & SILVER
Silvery White & others colors




Cantilever Gate Carriage Series

悬轮系列


CANTILEVER GATE CARRIAGE FOR 8 SMALL WHEELS

小八轮系列




小八轮 8 Small Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL8S	48	51	12.5	10	190*140	136	4.50




小八轮轨道 Cantilever Gate Track

NO.	L mm	H	A	B	S	WT(kg/m)
XG8S	70	59	22	50	3.5	5.7/m




小八轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD5S8S	130	80	82	74	4	1.06




小八轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL8S	68	15	51	70*60	140	3	0.98



小八轮底座 Adjustable Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ8S	140	190	M16	333	2	2.56



小八轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG8S	70	60	45	40	3	200



Cantilever Gate Carriage Series


中八轮系列

CANTILEVER GATE CARRIAGE FOR 8 MEDIUM WHEELS




中八轮 8 Medium Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL8M	68	72	15	10	300*150	169	11.0




中八轮轨道 Cantilever Gate Track

NO.	L mm	H	A	B	S	WT(kg/m)
XG8M	94	85	33	71	5	11.3




中八轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD8M	168	106	100	79	4	1.54




中八轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL8M	74	15	72	94*85	140	3	1.25



中八轮底座 Adjustable Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ8M	150	300	M16	333	2	3.92



中八轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG8M	94	83	55	40	3	304

Cantilever Gate Carriage Series

悬轮系列


CANTILEVER GATE CARRIAGE FOR 8 LARGE WHEELS

大八轮系列




大八轮 8 Large Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL8G	113	103	30	12	470*200	260	36.5



大八轮底座 Fixing Plate with Hook Bolt

NO.	Amm	B	M	H	S	WT(kg)
DZ8G	200	470	M16	430	3	6.21




大八轮轨道 Cantilever Gate Track

NO.	Lmm	H	A	B	S	WT(kg/m)
XG8G	136	142	38	104	6	22.1


大八轮后盖 End Cap

NO.	Amm	H	B	L	S	WT(g)
HG8G	139	142	95	86	3	1005




CANTILEVER GATE CARRIAGE FOR OTHER

其他悬轮




升降小八轮 Adjustable 8 Small Wheels

NO.	Dmm	C	C1	S	H	H1	WT(kg)
XL8SSJ	48	51	12.5	10	155-175	51.5	5.22




大十六轮 16 Large Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL16G	113	103	30	20	1000*200	264	116



升降中八轮 Adjustable 8 Medium Wheels

NO.	Dmm	C	C1	S	H	H1	WT(kg)
XL8MSJ	68	72	15	10	190-210	74	10.08




中十六轮 16 Medium Wheels

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL16M	68	72	15	12	400*150	166	24.0




Cantilever Gate Carriage Series

60x60 五轮系列 CANTILEVER GATE CARRIAGE FOR 60X60 WHEELS




60x60五轮 5 Wheels, for 60X60 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL60x60	51	44	13	8	145*100	127.5	2.76




60x60升降五轮 5 Wheels, for 60X60 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL60x60SJ	51	44	13	8	145*100	142-158	3.46




60x60五轮轨道 Cantilever Gate Track

NO.	Amm	L	H	S	WT(kg)/m
XG60x60	20	60	60	4	5.9/m




60x60五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD60x60	130	80	65	74	4	0.93



60x60五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL60x60	64	15	51	60*60	140	3	0.93



60x60五轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG60x60	60	60	40	45	3	191

Cantilever Gate Carriage Series

悬轮系列


CANTILEVER GATE CARRIAGE FOR 70X70 WHEELS

70x70 五轮系列




70x70不升降五轮 5 Wheels, for 70X70 Track

NO.	Dmm	C	Cl	S	A*B	H	WT(kg)
XL70x70.01	60	57	18	8	180*120	132	5.0




70x70升降五轮 5 Wheels, for 70X70 Track

NO.	Dmm	C	Cl	S	A*B	H	WT(kg)
XL70x70SJ.03	60	57	18	8	180*120	150-172	6.0




70x70五轮轨道 Cantilever Gate Track

NO.	Amm	L	H	S	WT(kg)/m
XG70x70	25	70	70	4	7.2/m




70x70五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD70x70	135	85	75	102	4	0.98



70x70五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL70x70	68	15	51	70*70	140	3	0.99




70x70五轮后盖 End Cap

NO.	Amm	H	B	L	S	WT(g)
HG70x70	70	70	40	55	3	240




Cantilever Gate Carriage Series

80x80 五轮系列 CANTILEVER GATE CARRIAGE FOR 80X80 WHEELS




80x80不升降五轮 5 Wheels, for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL80x80.01	68	61	17	8	180*120	136	5.5




80x80升降五轮 5 Wheels, for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL80x80SJ.01	68	61	17	8	180*120 154-176	136	6.5




80x80五轮轨道 Cantilever Gate Track

NO.	Amm	L	H	S	WT(kg)/m
XG80x80	30	80	80	5	10.0/m




80x80五轮门兜 Gate Catcher

NO.	Amm	A1	B	C	S	WT(kg)
MD5S8S	130	80	82	74	4	1.06



80x80五轮导轮 Guide Wheel

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL80x80	75	22	62	80*80	145	3	1.39



80x80五轮后盖 End Cap


NO.	Amm	H	B	L	S	WT(g)
HG80x80	80	80	40	55	3	272

Cantilever Gate Carriage Series

悬轮系列


CANTILEVER GATE CARRIAGE FOR OTHER

其他悬轮




升降五轮 5 Wheels Simple

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL70X70CSJ	60	57	15	8	200*100	146-168	4.95
XL80X80CSJ	68	61	15	8	200*100	150-172	5.446




升降悬轮 (十轮) 10 Wheels for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL10SJ	68	61	17	10	300*120	170-185	15.5




不升降三轮 3 Wheels for 80x80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL3	68	61	17	10	180*80	125	3.29
XL3.01	68	61	17	10	170*30	105	2.7



升降三轮 3 Wheels, for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL3SJ	68	61	17	8	180*120	141-163	4.439



不升降九轮 9 Wheels, for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL9	68	61	17	8	180*120	135	8.1



升降九轮 9 Wheels, for 80X80 Track

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL9SJ	68	61	17	8	180*120	153-170	9.1





Cantilever Gate Carriage Series

合板中轴承升降五轮 Adjustable cantilever gate wheel with middle guide bearing


NO.	D	C	C	S	A	B	H	L	Si	Z	Zi	WT
XL70X70ESJ	60	15	57	12	200	100	152-167	144	8	6203	6001	4776
XL80X80ESJ	68	15	61	12	200	100	156-171	144	8	6203	6200	5201

NO.	D	C1	C	S	A	B	H	L	Si	Z	WT
XL70X70FSJ	60	15	57	12	200	100	152-167	144	8	6203	4886
XL80X80FSJ	68	15	61	12	200	100	156-171	144	8	6203	5338



波兰导轮 Guide Wheel (without Baffle)

NO.	Dmm	C	B	L	S	WT(kg)
DL01A	75	22	60	120	3	1.23




GUIDEWHEEL

其它导轮

Cantilever Gate Carriage Series

悬轮系列





Cantilever Gate Carriage Series


内带齿轮中八轮悬轮

Middle eight-wheel cantilever gate wheel with gear

NO.	D	C1	C	E	L	H	A	B	S	WT(kg)
XL8MB	68	15	72	74	358	194	300	150	10	11.4




XL8MB



不带齿轮中八轮悬轮

Middle eight-wheel cantilever gate wheel without gear


NO.	D	C1	C	E	L	H	A	B	S	WT(kg)
XL8MC	68	15	72	74	358	194	300	150	10	9.44



悬臂拉杆

Cantilever Tie Rod

NO.	L	M	A	C	D	B	WT(kg)
GDJ21A	260	10	12	30/100	35	40	759.8
GDJ21B	300	18	19	40/120	54	55	2415



带齿条中八轮轨道

Cantilever Gate Track for 8 meium wheels with gear rack

NO.	NO.	L	H	S	WT(kg/M)
XG8MA	XG8M	94	85	5	14.4
	CT01F	22	22	1M/2M	



齿轮传动件


Transmission

NO.	A	L	C	D	模数	齿数	WT(g)
GDJ22A	64	50	30	74	M4	17齿	726




Gate Catcher Series

门兜系列



平门兜 Gate Catcher (without Top Part)

NO.	A mm	H	C	S	WT(g)
MD01A	90	103	78	4	1170




双轮门兜 Gate Catcher (with 2 Nylon Rollers)

NO.	A mm	H	C	S	D	WT(g)
MD03A	100	80	90	4	40	1140
MD03B	124	80	90	4	40	1260




门兜 Gate Catcher

NO.	C	A	B	H	S	WT(g)
MD50	54	72	70	50	3	211
MD110	108	130	126	90	4	993



大轮门兜 Gate Catcher

NO.	C	A	B	H	S	D	CI	WT(g)
MD08A	84	226	110	126	4	71	22	1529




不带底板门兜 Gate Catcher (without Base Plate)

NO.	B	H	C	S	A1	WT(g)
MD02A	82	130	99	4	82	858
MD02B	100	168	88	4	100	1237




框架可调门兜 Adjustable Gate Catcher (with 2 Nylon Rollers)

NO.	A mm	H	C	S	D	WT(g)
MD04A	55-90	80	95	4	40	800



螺杆门兜 Gate Catcher (with 2 Nylon Rollers & Bolts)

NO.	L mm	B	H	H1	S	WT(g)
MD06A	40	70	76	50	5	508
MD06B	60	70	76	50	5	503
MD06C	80	84	76	50	5	535




双轮可调上门兜 Guide bracket


NO.	H	H1	L	A	S	D	C	B	R	WT(g)
MD17A	100	60	200	60	6	35	35	43-63	64-136	1849
MD17B	120	80	245	70	8	40	44	73-103	87-152	3261.6



1. 框架可调 AdjustableEndStop



2. 门兜可调 AdjustableBracket




Gate Catcher Series

门兜系列


BRACKET FOR GATECATCHER

门兜托架系列




门兜托架 Bracket for Gate Catcher

NO.	A mm	H	L	B	C	S	WT(g)
TJ09A	113	174	175	88	46	4	1156




单槽门兜托架 Bracket for Gate Catcher

NO.	A mm	L	H	S	d	WT(g)
TJ16A	100	125	100	6	11	937



双槽门兜托架 Bracket for Gate Catcher

NO.	A mm	L	H	C	S	d	WT(g)
TJ17A	125	120	130	35	5	11	1098



三槽门兜托架 Bracket for Gate Catcher

NO.	A mm	L	H	C	S	d	WT(g)
TJ18A	120	150	100	30	3	11	683




Hanging Door Roller Series




挂轮Hanging Door Roller



托架Fixing Bracket



门吸
Gate Stopper



尖槽挂轮轨道
Hanging Door
Roller Rail




后盖End Cap

Hanging Door Roller Series

挂轮系列


HANGING DOOR ROLLER FOR 25

25 挂轮系列




螺杆四轮挂轮 Hanging Door Roller (4 Rollers, with Bolt)

NO.	Dmm	C	Cl	M	H	L	WT(g)
GL05A	25	20	6.5	M8	91	30	185




两轮轴承挂轮 Hanging Door Roller (2 Rollers, Forge Centre Plate)

NO.	Dmm	C	Cl	M	H	WT(g)
GL01A	25	20	6.5	M8	73	79.4




四轮轴承挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)

NO.	Dmm	C	Cl	H	M	A*B	WT(g)
GL03A	25	20	6.5	73	M8	94*23	204




折弯板四轮挂轮 Hanging Door Roller (4 Rollers, Bent Centre Plate)

NO.	Dmm	C	Cl	M	H	A*B	WT(g)
GL06A	25	20	6.5	M10	104	94*24	252



两轮尼龙挂轮 Hanging Door Nylon Roller (2 Rollers)

NO.	Dmm	C	Cl	M	H	WT(g)
GL01APP	25	20	6.5	M8	73	60.8




四轮尼龙挂轮 Hanging Door Nylon Roller (4 Rollers)

NO.	Dmm	C	Cl	H	M	A*B	WT(g)
GL28APP	25	20	6.5	73	M8	94*23	166




Hanging Door Roller Series




尖槽挂轮轨道 Hanging Door Roller Rail

NO.	A	H	C	S	WT(kg/m)
GG01A	35	32	20	1.5	1.79




尖槽轨道连接托架 Jointed Support Bracket for Hanging Door Roller Rail


NO.	L mm	A	H	C	S	WT(g)
GTJ01A	159	46	45	20	4	760

L板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail
(Wall Fixing)

NO.	L mm	L1	H1	C	A*H	S	WT(g)
TJ05A	60	60	50	20	46x50	4	474


平板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail
(Ceiling Fixing)

NO.	L mm	L1	C	A*H	S	WT(g)
TJ15A	110	60	20	46x50	4	475.8



挂轮后盖 End Cap

NO.	A mm	H	B	L	S	WT(g)
HG03A	35	32	20	25	2	50



挂轮门吸 Stopper for Track


NO.	A	B	L	H	S	D	WT(g)
MX07A	34	25	55	22	4	16	92

Hanging Door Roller Series

挂轮系列


HANGING DOOR ROLLER FOR 38

38 挂轮系列




两轮轴承挂轮 Hanging Door Roller (2 Rollers, Forge Centre Plate)

NO.	D mm	C	Cl	M	H	WT(g)
GL01D	38	29	9	M12	120.5	256.2




两轮尼龙挂轮 Hanging Door Nylon Roller (2 Rollers)

NO.	D mm	C	Cl	M	H	WT(g)
GL01DPP	38	29	9.5	M12	120.5	201.8




四轮轴承挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)

NO.	Dmm	C	Cl	H	M	A*B	WT(g)
GL04D	38	29	9	124	M12	120*31	557.2



四轮尼龙挂轮 Hanging Door Nylon Roller (4 Rollers)


NO.	Dmm	C	Cl	H	M	A*B	WT(g)
GL28BPP	38	29	9.5	124	M12	120*31	442



四轮钢珠挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)


NO.	Dmm	C	Cl	H	M	A*B	WT(g)
GL03B	38	29	9.5	124	M12	120*31	576

Hanging Door Roller Series




尖槽挂轮轨道 Hanging Door Roller Rail

NO.	A	H	C	S	WT(kg/m)
GG01B	50	46	29	2	2.64




尖槽轨道连接托架 Jointed Support Bracket for Hanging Door Roller Rail

NO.	L mm	A	H	C	S	WT(g)
GTJ01B	159	59	61	29	4	1065




L板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail (Wall Fixing)

NO.	L mm	L1	H1	C	A*H	S	WT(g)
TJ05B	70	60	50	29	62x64	4	598




平板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail (Ceiling Fixing)

NO.	L mm	L1	C	A*H	S	WT(g)
TJ15B	120	60	29	62x64	4	589



挂轮后盖 End Cap

NO.	A mm	H	B	L	S	WT(g)
HG03B	50	46	30	25	2	76



挂轮门吸 Stopper for Track


NO.	A	B	L	H	S	D	WT(g)
MX07B	49	40	72	35	5	20	228

Hanging Door Roller Series

挂轮系列


HANGING DOOR ROLLER FOR 55

55 挂轮系列




两轮轴承挂轮 Hanging Door Roller (2 Rollers, Forge Centre Plate)

NO.	Dmm	C	C1	M	H	WT(g)
GL01C.01	55	34	11	M20	167	780.2




两轮尼龙挂轮 Hanging Door Nylon Roller (2 Rollers)

NO.	Dmm	C	C1	M	H	WT(g)
GL01C.01PP	55	34	11	M20	167	632.4




四轮轴承挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)

NO.	Dmm	C	C1	H	M	A*B	WT(g)
GL03C.02	55	34	11	167	M20	140*45	1567.8




四轮尼龙挂轮 Hanging Door Nylon Roller (4 Rollers)

NO.	Dmm	C	C1	H	M	A*B	WT(g)
GL28CPP	55	34	11	167	M20	140*45	1207



四轮钢珠挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)


NO.	Dmm	C	C1	H	M	A*B	WT(g)
GL03C	55	34	11	167	M20	140*45	1519



冲压挂轮(带钢珠) Hanging Door Roller (4 Rollers)



NO.	Dmm	C	C1	A	M	H	WT(g)
GL34C	55	34	10	140	16	147	763

Hanging Door Roller Series




尖槽挂轮轨道 Hanging Door Roller Rail

NO.	A	H	C	S	WT(kg/m)
GG01C	60	67	34	2	3.55




尖槽轨道连接托架 Jointed Support Bracket for Hanging Door Roller Rail


NO.	L mm	A	H	C	S	WT(g)
GTJ01C	159	71	79	34	4	1367

L板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail
(Wall Fixing)

NO.	L mm	L1	H1	C	A*H	S	WT(g)
TJ05C	80	60	50	34	72x85	4	730


平板尖槽挂轮托架 Fixing Bracket for Hanging Door Roller Rail
(Ceiling Fixing)

NO.	L mm	L1	C	A*H	S	WT(g)
TJ15C	130	60	34	72x85	4	710



挂轮后盖 End Cap

NO.	A mm	H	B	L	S	WT(g)
HG03C	60	67	34	40	3	183



挂轮门吸 Stopper for Track


NO.	A	B	L	H	S	D	WT(g)
MX07C	49	40	72	40	5	30	232

Hanging Door Roller Series

挂轮系列


HANGING DOOR ROLLER FOR 44

44 挂轮系列




两轮轴承挂轮 Hanging Door Roller (2 Rollers, Forge Centre Plate)

NO.	D mm	C	C1	M	H	WT(g)
GL01B.02	44	24	11	M12	124	324.2




两轮尼龙挂轮 Hanging Door Nylon Roller (2 Rollers)

NO.	D mm	C	C1	M	H	WT(g)
GL01B.02PP	44	24	11	M12	124	236.6




四轮轴承挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)

NO.	D mm	C	C1	M	H	A*B	WT(g)
GL04B.01	44	24	11	M12	127	120*31	585




四轮尼龙挂轮 Hanging Door Nylon Roller (4 Rollers)

NO.	D mm	C	C1	M	H	A*B	WT(g)
GL04B.01PP	44	24	11	M12	127	120*31	528.8




L板平槽挂轮托架 Fixing Bracket for Hanging Door Rail (Wall Fixing)

NO.	A mm	H	H1	L*L1	S	WT(g)
TJ02B	52	71	50	70x60	4	630



平板平槽挂轮托架 Fixing Bracket for Hanging Door Rail (Ceiling Fixing)


NO.	A mm	H	L	L1	S	WT(g)
TJ04B	52	71	120	60	4	624



尖槽挂轮轨道 Hanging Door Roller Rail


NO.	A	H	C	S	WT(kg/m)
GG01D	42	54	24	2.5	3.10






两轮轴承挂轮 Hanging Door Roller (2 Rollers, Forge Centre Plate)

NO.	D mm	C	C1	M	H	WT(g)
GL01B	44	21	11	M12	124	324
GL01C	55	31	11	M20	167	781




L板平槽挂轮托架 Fixing Bracket for Hanging Door Rail (Wall Fixing)

NO.	A mm	H	H1	L*L1	S	WT(g)
TJ02A	42	48	50	60x60	4	456
TJ02B	52	71	50	70x60	4	630
TJ02C	66	86	50	80x60	4	766




四轮轴承挂轮 Hanging Door Roller (4 Rollers, Forge Centre Plate)

NO.	D mm	C	C1	M	H	A*B	WT(g)
GL04B	44	21	11	M12	127	120*31	707
GL04C	54	31	11	M20	167	140*45	1568


平板平槽挂轮托架 Fixing Bracket for Hanging Door Rail
(Ceiling Fixing)

NO.	A mm	H	L	L1	S	WT(g)
TJ04A	42	48	110	60	4	471
TJ04B	52	71	120	60	4	624
TJ04C	66	86	130	60	4	700



圆板两轮挂轮 (小) Hanging Door Roller (2 Rollers)

NO.	D mm	C	C1	M	H	WT(g)
GL11A	33.5	31	4	10	130	212




圆板四轮挂轮 (小) Hanging Door Roller (4 Rollers)

NO.	D mm	C	C1	M	H	WT(g)
GL12A	33.5	31	4	10	130	350


Hanging Door Roller Series

挂轮系列



圆板两轮挂轮 (大) Hanging Door Roller (2 Rollers)

NO.	D mm	C	C1	M	H	WT(g)
GL13A	47	43	5	14	167	580.5




圆板四轮挂轮 (大) Hanging Door Roller (4 Rollers)

NO.	D mm	C	C1	M	H	WT(g)
GL14A	47	43	5	14	167	998




焊接轴承挂轮 Hanging Door Roller (4 Rollers)

NO.	D mm	C1	C	L	S	H	WT(g)
GL29A	52	15	80	159	8	50	2319



合板轴承挂轮 Hanging Door Roller (4 Rollers)


NO.	D mm	C1	C	L	S	H	WT(g)
GL29B	52	15	80	159	8	50	2234



两轮旋转挂轮

Hanging Door Roller (2 Rollers)

NO.	D mm	C1	C	H	M	WT(g)
GL23A	44	10	41	87.5	10	370




尼龙两轮旋转挂轮

Nylon Hanging Door Roller (2 Rollers)

NO.	D mm	C1	C	H	M	WT(g)
GL23B	42	10	41	87.5	10	231


Hanging Door Roller Series



四轮旋转挂轮

Hanging Door Roller (4 Rollers)


NO.	D mm	C1	C	L	H	M	WT(g)
GL22A	44	10	41	107.5	86.5	10	737



尼龙四轮旋转挂轮

Nylon Hanging Door Roller (4 Rollers)


NO.	D mm	C1	C	L	H	M	WT(g)
GL22B	42	10	41	107.5	86.5	10	467



卷珠挂轮

Hanging Door Roller (4 Rollers)


NO.	D mm	C1	C	L	d	S	WT(g)
GL24A	54	10	40	119	12	6	602



带轴承挂轮

Hanging Door Roller (4 Rollers)


NO.	D mm	C1	C	L	H	S	WT(kg)
GL32A	47	14	52	150	85	10	1.47



直板轴承挂轮

Hanging Door Roller (1 Bearing with Plate)

NO.	D mm	H	A	L	S	WT(g)
GL15A	52	31	50	170	6	652
GL15B	62	32	60	170	8	1043
GL15C	72	33	75	200	10	1754
GL15D	40	28	40	170	5	395
GL15E	100	41	100	200	10	2874



两轮钢珠折弯挂轮

Hanging Door Roller Series

NO.	D mm	C	C1	H	L	S	M	WT(g)
GL43A	22	20	6	48	44	2.5	8	186




Hanging Door Roller Series

挂轮系列

HANGING DOOR


挂轮配件



挂轮托架

Hanging roller bracket


NO.	A	L	H	S	WT(g)
TJ22A	31.5	45	27	2.5	50.6



挂轮门档

Hanging door stopper

NO.	A	H	B	S	WT(g)
MX18A	28	23.5	30.5	2	27.6



挂轮靠轮

Guide roller with plate

NO.	A	B	S	H	D	WT(g)
KL11A	73	39	3	17	14	78.2



KL11A*1



TJ22A*2



MX18A*2


FOR 25MM HANGING DOOR ROLLERS

搭配 25 挂轮使用

双轴承香蕉挂轮

Hanging Door Roller (with Chains, Double Bearings)


NO.	D mm	C1	C	d	L	WT(g)
GL10C	64	23.3	39	16	154	1655



尼龙双轴承香蕉挂轮

Hanging Door Roller (with Chains, Double Bearings, Nylon)


NO.	D mm	C1	C	d	L	WT(g)
GL10APA	64	23.3	39	16	154	1382



双轴承香蕉挂轮

Hanging Door Roller (with Chains, Double Bearings)


NO.	D mm	C1	C	d	L	WT(g)
GL10A	64	23.3	39	16	154	1655



单轴承香蕉挂轮

Hanging Door Roller (with Chains, Single Bearing)


NO.	D mm	C1	C	d	L	WT(g)
GL10B	56	20	36	16	146	1302



尼龙单轴承香蕉挂轮

Hanging Door Roller (with Chains, Single Bearing, Nylon)


NO.	D mm	C1	C	d	L	WT(g)
GL10BPA	56	20	36	16	146	1094



双轴承香蕉挂轮


Hanging Door Roller (with Chains, Double Bearings)

NO.	D mm	C1	C	d	L	WT(g)
GL10A.02	64	23.3	39	16	154	1743




Hanging Door Roller Series

挂轮系列



香蕉挂轮支架
Banana Hanger Bracket

NO.	A mm	L	H	D	d	E	WT(g)
ZJ06B	100	290	123	45	17.3	20	1112



香蕉挂轮支架
Banana Hanger Bracket

NO.	A mm	L	H	D	d	E	WT(g)
ZJ06A	100	290	98	45	17.3	8	972



圆孔香蕉滑轮固定支架
Banana Hanger Bracket

NO.	L	B	D	WT(g)
GDJ13A	1189	33	20	629.6



方孔香蕉滑轮固定支架
Banana Hanger Bracket

NO.	L	B	D	WT(g)
GDJ13B	1189	33	20	585.6



U型香蕉滑轮固定支架
Banana Hanger Bracket


NO.	L	B	D	d	WT(g)
GDJ14A	1275	25.4	20	7	775.8





Folding Door Series


折叠门系列



边孔折叠门挂轮

Sliding and Folding Door Carriage with One Side Hole Block


NO.	D mm	C	Cl	d	L	H	WT(g)
ZDGL01A	48	52.5	12.5	16.5	102	25	1034
ZDGL01B	68	72	15	20.5	143	35	2603.6



合板折叠门挂轮

Sliding and Folding Door Carriage with Two Bended Plates


NO.	D mm	C	Cl	d	L	H	WT(g)
ZDGL03A	34	40	14	13	87	6	386.5



固定件

Adjustable Pin with Plate for Fastening


NO.	A*B mm	C	L	L1	M	S	WT(g)
GDJ01A	140*70	13	110	47	16	10	1041
GDJ01B	140*70	17	110	47	20	10	1159



中孔折叠门挂轮

Sliding and Folding Door Carriage with One Central Hole Block



NO.	D mm	C	Cl	d	L	H	WT(g)
ZDGL02A	48	52.5	12.5	16.5	102	25	944
ZDGL02B	68	72	15	20.5	143	35	1980.4



折叠门尼龙导轮 (带固定板)

Nylon Guide Roller with Fixing Plate

NO.	D mm	C	L	A	S	WT(g)
ZDKJ01A	40	15	120	30	6	229




固定件

Adjustable Pin with Plate for Fastening

NO.	A*B mm	C	L	L1	M	S	WT(g)
GDJ02A	80*40	10	70	30	12	5	192






折叠门门吸

Sliding and Folding Door Stopper


NO.	D mm	L	A	H	S	WT(g)
ZDMX01A	22	46	38	40	5	201
ZDMX01B	25	68	50	40	5	372



折叠门轨道托架

Wall Fixing Bracket Height Adjusted


NO.	A mm	H	L	B	H1	L1	WT(g)
ZDTJ01A	175	105	140	85	110	100	1800
ZDTJ01B	175	105	140	110	110	100	2040



双向调节门兜

Adjustable Stopper for Sliding and Folding Door

NO.	B mm	H	H1	L	S	WT(g)
ZDMD01A	43-88	80	51	100	4	566




重型合页铰链

Folding Door Hinge

NO.	D mm	H	L	A	S	WT(g)
ZDJL01A	20	130	140	50	12	2153

Gate Stopper


门吸



无底小胶门吸

Gate Stopper without Base Plate(Small Rubber)


NO.	H mm	A*B	S	WT(g)
MX01A	100	50	8	259



无底大胶门吸

Gate Stopper without Base Plate(Large Rubber)

NO.	H mm	A	S	WT(g)
MX03A	95	50	8	320
MX03B	110	70	8	460



有底小胶门吸

Gate Stopper with Base Plate(Small Rubber)


NO.	H mm	A*B	S	WT(g)
MX02A	146	100*100	10	987



有底大胶门吸

Gate Stopper with Base Plate(Large Rubber)


NO.	H mm	A*B	S	WT(g)
MX04A	95	100x80	8	540
MX04B	110	130x100	8	944



拖鞋门吸

Gate Stopper with Base Plate for Two Leaf Gate

NO.	H mm	A*B	h	S	WT(g)
MX05A	43	120*100	20	2	260
MX05B	50	158*138	26	2	470





高筒门吸

Gate Stopper for Two Leaf Gate



NO.	H mm	D	h	S	WT(g)
MX06A	93	95	18	1.5	325






高低可调门吸
Gate Stopper

NO.	A	B	S	H	C	D	WT(g)
MX15A	95	105	5	130	46-93	45	1065.6




可伸缩门吸
Gate Stopper

NO.	A	B	S	H	L	D	WT(g)
MX16A	120	100	6	84.5	112-132	45	1583.6



立柱方板门吸
Gate Stopper

NO.	A	B	S	d	H	L	C	D	E	WT(g)
MX13A	100	100	5	10.5	120	155	30*30	35	35	1183.2



方板门吸
Gate Stopper


NO.	A	B	S	d	H	D	E	WT(g)
MX14A	100	100	5	10.5	46	35	35	490.6

Nylon Roller Series


尼龙轮系列

NYLON ROLLER


尼龙轮

尼龙轮
Nylon Roller

NO.	D mm	H1	M	H	Wt(g)
NL25X40M12	25	40	12	75	120
NL30X40M12	30	40	12	75	130
NL40X44M16	40	44	16	95	236
NL40X60TM14	40	60	14	105	263
NL40X60M16	40	60	16	104	300
NL40X100M18	40	100	18	135	474
NL40X120M18	40	120	18	157	551
NL40X150M18	40	150	18	195	675
NL40X250M18	40	250	18	300	1023

带轴承尼龙轮
Nylon Roller (with Bearings)


NO.	D mm	H1	M	H	Wt(g)
NLZ50x60	50	60	20	120	499
NLZ40x44	40	44	16	90	268.2

特殊尼龙轮
Nylon Roller

NO.	D mm	H1	M	H	Wt(g)
NLS01A	43	38	12	72	132
NLS01B	31	27.5	10	60.5	70

中间突出尼龙轮

Nylon Roller (Bulge in Middle Surface)



NO.	D mm	H1	M	H	Wt(g)
NLT25x40M12	25	40	12	74	121
NLT30x40M12	30	40	12	75	124
NLT40x48M16	40	48	16	90	232
NLT30X40TM14	30	40	14	60	177
NLT40x60TM14	40	60	14	104	262

带橡皮圈尼龙轮
Nylon Roller


NO.	D mm	H1	M	H	Wt(g)
NLD30x40M12	30	40	12	74	130
NLD40x60M16	40	60	16	103	265

弧形尼龙轮
Nylon Roller

NO.	D mm	H1	M	H	Wt(g)
NLG30x40M12	30	40	12	75	123
NLG40x44M16	40	44	16	90	223


靠轮

GUIDE ROLLER




大头铁靠轮 Guide Roller with Bolt

NO.	D	H	L	M	WT(g)
KL01A	35	27	147	12	269
KL01B	25	27	147	12	193
KL02A	35	27	68	12	218
KL02B	25	27	68	12	142




圆靠轮 Guide Roller with Bolt

NO.	D	H	L	M	WT(g)
KL03A	25	19	125	12	175




靠轮 Guide Roller

NO.	Dmm	H	A	L	S	WT(g)
KJ22A	40	40.5	45	125	4	493



大头铜靠轮 (Cu) Guide Roller with Bolt

NO.	D	H	L	M	WT(g)
KL01ACu	35	27	147	12	282.5
KL01BCu	25	27	147	12	181
KL02ACu	35	27	68	12	213.5
KL02BCu	25	27	68	12	130



地靠轮 Guide Roller Bolt


NO.	D	H	L	A	S	WT(g)
KL04A	25	23	110	40	5	246.5
KL04B	30	25	110	40	5	290

Nylon Roller Series

尼龙轮系列

GUIDE BRACKET

框架




扁轮框架 Guide Bracket with Nylon Roller

NO.	D mm	H1	A	H	L	S	WT(g)
KJ04A	34	12	40	84	61	5	256




不可调单轮L型框架 Guide Bracket with Nylon Roller

NO.	D mm	H1	A	H	L	S	WT(g)
KJ01A	40	60	38	61	78	3	367




可调单轮L型框架 Guide Bracket with Nylon Roller

NO.	D mm	H1	A	H	L	S	L1	WT(g)
KJ02A	30	40	40	60	100	5	16-63	313




双轮L型框架 Guide Bracket with Nylon Roller

NO.	D mm	H1	A	H	L	S	L1	WT(g)
KJ03A	30	40	40	60	150	5	8-68	510
KJ03C	40	60	40	60	150	5	0-58	770


L型两轮可调小头铁轮框架
Guide Bracket with Steel Roller

NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ34A	25	27	40	60	150	13-73	5	635.8

L型两轮圆靠轮框架
Guide Bracket with Steel Roller

NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ35A	20	19	40	60	150	13-73	5	510



Nylon Roller Series



两轮等高单片框架

Guide Bracket with Nylon Roller



NO.	D mm	H1	A	H	L	S	L1	WT(g)
KJ06A	30	40	68	64	165	3	35-78	699
KJ06B	40	44	68	64	165	3	31-69	889
KJ06C	40	44	68	64	200	3	46-88	967



两轮可调大头铁轮框架

Guide Bracket with Steel Roller


NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ33A	35	27	68	64	165	30-73	3	862



两轮高低单片框架

Guide Bracket with Nylon Roller


NO.	D*H1 mm	A	H	H2	L	L1	S	WT(g)
KJ07A	30*40	55	40	60	165	38.5-83.5	4	644
KJ07B	40*44	55	40	60	165	34.5-71.5	4	862
KJ07C	40*44	68	65	100	200	45-89	4	1175



两轮可调滚筒尼龙框架

Guide Bracket with Nylon Roller



NO.	D*H1 mm	A	H	H2	L	L1	S	WT(g)
KJ32A	30*40	55	40	60	165	38.5-83.5	4	800
KJ32B	40*44	55	40	60	165	34.5-71.5	4	830
KJ32C	40*44	68	65	100	200	45-89	4	1145



长条框架

Nylon Roller

NO.	D mm	H1	A	L	L1	S	WT(g)
KJ11A	40	60	35	270	15-65	6	899
KJ11B	40	60	35	350	15-65	6	1024



方管框架


Guide Bracket with Nylon Roller

NO.	D mm	H	L	L1	AxB	S	WT(g)
KJ17A	43	38	310	0-195	100X100	4	1185



Nylon Roller Series


尼龙轮系列



四轮双片等高框架 (无孔)

Guide Bracket with Nylon Roller


NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ09A	30	40	200	55	164-208	26-70	2.5	1740
KJ09A.01	40	44	200	55	164-208	16-60	2.5	2140



四轮双片等高框架 (无孔)

Guide Bracket with Nylon Roller


NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ09B	30	40	220	55	138-182	27-71	3	2494
KJ09B.01	40	44	220	55	138-182	17-61	3	2894



四轮双片等高框架 (无孔)

Guide Bracket with Nylon Roller


NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ09C	40	44	350	68	176-260	19-103	4	5355



四轮双片等高框架 (有孔)

Guide Bracket with Nylon Roller


NO.	D mm	H1	A	H	L	L1	S	WT(g)
KJ09D	40	44	200	55	163-220	20-67	4	3019



四轮高低双片框架

Guide Bracket with Nylon Roller Bracket

NO.	D*H1 mm	A	H	H2	L	L1	S	WT(g)
KJ08A	30*40	150	100	58	115-195	10-85	3	1768
KJ08B	40*44	150	100	58	115-195	0-75	3	2168




四轮调孔相连框架

Guide Bracket with Nylon Roller

NO.	D mm	H1	A	H2	H	L	L1	S	WT(g)
KJ14A	30	40	220	110	70	175	0-90	3	2149
KJ14B	40	44	300	110	70	230	0-120	4	4344





Gate Hinge


门铰链

ADJUSTABLE WELDING GATE HINGE

欧式铰链

圆头螺帽铰链


Adjustable Gate Hinge with Nut



NO.	Mmm	L	A	B	D	S	WT(g)
JL01A	M16	40-60	20	36	29	5	283
JL01B	M18	41-61	20	36	30	5	331
JL01C	M20	44-68	21	43	31	6	410
JL01D	M24	49-78	26	50	35	6	679

圆头圆片铰链


Adjustable Gate Hinge with Jointed Plates



NO.	Mmm	L	A	B	D	S	WT(g)
JL02A	M16	40-60	16	36	50	4	348
JL02B	M18	41-62	16	36	50	4	413
JL02C	M20	44-66	17	43	50	4	479
JL02D	M24	49-77	18	50	56	5	815

圆头方片铰链


Adjustable Gate Hinge with Square Plate




NO.	Mmm	L	A	B	C	S	WT(g)
JL03A	M16	40-60	18	36	80*80	4	478
JL03B	M18	41-60	17	36	90*90	4	571
JL03C	M20	44-65	20	43	100*100	4	715
JL03D	M24	49-83	20	50	120*120	6	1320

空管铰链

Adjustable Gate Hinge with Tube



NO.	Mmm	L	A	B	C	S	WT(g)
JL04A	M18	40-64	66	36	38	5	406
JL04B	M20	41-58	95	43	40	6	530
JL04C	M24	44-69	100	50	48	6	863




方头螺帽铰链

Adjustable Gate Hinge with Nut

NO.	Mmm	L	A	B	D	S	WT(g)
JL01E	M16	40-60	20	36	29	5	310
JL01F	M18	41-61	20	36	30	5	334
JL01G	M20	44-68	21	43	31	6	435
JL01O	M24	47-71	26	43	35	6	540
JL01P	M12	31-47	16	27	22	4	136
JL01Q	M14	31-49	18	29	24	4	176

方头圆片铰链


Adjustable Gate Hinge with Round Plate



NO.	Mmm	L	A	B	D	S	WT(g)
JL02E	M16	40-60	16	36	50	4	374
JL02F	M18	41-62	16	36	50	4	420
JL02G	M20	44-66	17	43	50	4	501
JL02O	M24	46-74	18	43	56	5	750
JL02P	M12	29-45	14	27	40	3	153
JL02Q	M14	31-47	16	29	45	3.5	208

方头方片铰链


Adjustable Gate Hinge with Square Plate




NO.	Mmm	L	A	B	C	S	WT(g)
JL03E	M16	40-60	18	36	80*80	4	500
JL03F	M18	41-60	17	36	90*90	4	579
JL03G	M20	44-65	20	43	100*100	4	742
JL03O	M24	47-83	20	35	120*120	6	1180
JL03P	M12	31-47	16	27	55*75	3	215
JL03Q	M14	31-49	18	29	70*70	3.5	286

方头空管铰链

Adjustable Gate Hinge with Tube




NO.	Mmm	L	A	B	C	S	WT(g)
JL04D	M18	40-64	66	36	38	5	416
JL04E	M20	41-58	95	43	40	6	562



弧头圆片铰链

Adjustable Gate Hinge with Jointed Plate


NO.	Mmm	L	A	B	D	C	S	WT(g)
JL07A	M20	64-108	17	42	30	50	4	708
JL07B	M24	74-121	18	47	35	56	5	1037
JL07C	M30	84-138	31	52	40	65	6	1610



弧头螺帽铰链

Adjustable Gate Hinge with Nut


NO.	Mmm	L	A	B	D	C	S	WT(g)
JL08A	M20	64-110	21	42	30	31	6	635
JL08B	M24	74-124	26	47	35	35	6	934
JL08C	M30	84-132	32	52	40	45	6	1458



带板螺帽铰链

Adjustable Gate Hinge


NO.	A	B	S	H	D	M	L	WT(g)
JL01A.03	115	40	5	20	25	16	45-65	448
JL01B.03	115	40	5	20	30	18	46-66	483
JL01C.03	115	40	5	21	31	20	49-73	575
JL01D.03	130	45	6	26	35	24	55-84	926



带板方片铰链

Adjustable Gate Hinge


NO.	A	B	S	C	S1	M	L	WT(g)
JL03A.02	115	40	5	80*80	4	16	45-65	636
JL03B.04	115	40	5	90*90	4	18	46-66	726
JL03C.02	115	40	5	100*100	4	20	49-70	876
JL03D.01	130	45	6	120*120	6	24	55-89	1568



弧头方片铰链

Adjustable Gate Hinge with Square Plate


NO.	Mmm	L	A	B	D	C	S	WT(g)
JL09A	M20	64-108	20	42	30	100*100	4	943
JL09B	M24	74-129	20	47	35	120*120	6	1542



工字铰链

Upright Gate Joint Element


NO.	A mm	D	H	H1	WT(g)
JL10A	40	28.5	55	36	413
JL10B	40	33.5	60	41	511
JL10C	50	38.5	65	46	783



带板圆片铰链

Adjustable Gate Hinge

NO.	A	B	S	D	S1	M	L	WT(g)
JL02A.06	115	40	5	52	4	16	45-65	514
JL02B.06	115	40	5	55	4	18	46-67	559
JL02C.06	115	40	5	50	4	20	49-71	672
JL02D.06	130	45	6	56	5	24	55-73	1063



菱形架欧式铰链

Adjustable Gate Hinge

NO.	M	A	B	D	H	S	WT(g)
JL81A	M18	150	115	11	18	5	401
JL81B	M20	150	115	11	19	5	415
JL81C	M22	150	115	11	19	5	430
JL81D	M24	150	115	11	19	5	426
JL81E	M27	150	115	11	19	5	421



Gate Hinge

门铰链

HINGE


长杆铰链



长杆圆头铰链

Adjustable Gate Hinge with Long Bolt


NO.	Mmm	L	G	B	S	WT(g)
JL05A	M16	185	131	40	6	450
JL05B	M18	188	138	40	6	550
JL05C	M20	188	138	40	6	620
JL05D	M24	190	138	49	6	970



长杆圆头焊接板铰链

Adjustable Gate Hinge


NO.	Mmm	L	A	H	B	S	WT(g)
JL67A	M16	131	40	115	40	5	643
JL67B	M18	138	40	115	40	5	710
JL67C	M20	138	40	115	40	5	780
JL67D	M24	138	45	130	49	6	1214



长杆双片铰链

Adjustable Gate Hinge with Two Plates and Long Bolt


NO.	Mmm	G	L	B	S	WT(g)
JL06A	M16	131	171	33	5	420
JL06B	M18	138	175	33	5	510
JL06C	M20	138	175	33	5	610
JL06D	M24	138	180	38	6	930



双U型架欧式铰链

Adjustable Gate Hinge


NO.	N	C	A	M	R	S	WT(g)
JL80A	43	30	30	M10	53-63	6	405
JL80B	65	49	35	M12	52-62	6	610



长杆圆头带板铰链

Adjustable Gate Hinge

NO.	Mmm	L	B	A	C	S	WT(g)
JL05E	M16	131	40	100	60	8	765
JL05F	M18	138	40	120	60	8	898
JL05G	M20	138	40	120	60	8	972
JL05H	M24	138	49	120	60	10	1406



双板铰链

Adjustable Gate Hinge

NO.	A	B	S	L	M	WT(g)
JL79A	50	115	5	131	16	999
JL79B	50	115	5	138	18	1102
JL79C	70	145	6	138	20	1702
JL79D	70	145	6	138	24	2104



长杆双片带板铰链


Adjustable Gate Hinge

NO.	Mmm	L	B	A	C	S	WT(g)
JL06E	M16	131	33	100	60	8	720
JL06F	M18	138	33	120	60	8	853
JL06G	M20	138	33	120	60	8	942
JL06H	M24	138	38	120	60	10	1315



上下铰链

ROTATING PLATE GATE HINGE



上角铰链

Upper Rotating Plate GateHinge


NO.	Dmm	H	A	L	S	WT(g)
JL11A	40	30	40	90	7	426
JL11B	50	28	50	100	8	625
JL11C	70	35	60	140	12	1510
JL11D	120	45	100	250	14	5301
JL11F	60	28	60	140	12	1263



下角铰链

Bottom Rotating GateHinge


NO.	D mm	H	WT(g)
JL12A	40	34	270
JL12B	50	31	410
JL12C	70	36	960
JL12D	120	46	3612
JL12F	60	36	741



下L铰链

Bottom Gate Hinge with L Shape Fixing Plate


NO.	D mm	H	A	C	L	S	WT(g)
JL13A	50	36	50	70	83	8	843
JL13B	70	36	60	80	103	10	1750
JL13C	60	32	60	80	103	10	1531



上L铰链

Upper Gate Hinge with L Shape Fixing Plate

NO.	D mm	H	A	C	L	S	WT(g)
JL14A	50	28	50	70	83	8	750
JL14B	70	35	60	80	103	10	1500
JL14C	60	28	60	80	103	10	1253



带底板下铰链

Rotating Plate GateHinge

NO.	D mm	H	A	B	S	d	WT(g)
JL87A	40	32	100	65	5	10	513.8
JL87B	50	31	100	65	5	10	652.4
JL87C	60	36	135	75	5	10	1010.8
JL87D	70	36	135	75	5	10	1354.4


We make, We care

The heart of our manufacturing, assured that the use of customers.



Gate Hinge


门铰链



地角铰链

Gate Hinge with Plate and Pin


NO.	D mm	A	B	S	H	WT(g)
JL16A	20	60	60	20	89	587
JL16B	24	60	60	20	96	810



锥芯铰链

Hinge with Cone CorePin


NO.	D mm	H	H1	WT(g)
JL43A	40	53	30	565



方块铰链

Hinge with T CorePin


NO.	A	B	D	H	WT(g)
JL62A.01	40	40	26	80	1010.4



铰链

Gate Hinge


NO.	Dmm	H	A	L	C	S	WT(g)
KJ23A	40	40.5	115.5	100	60	5	764



三角形地角铰链

Gate Hinge Plate and Pin


NO.	D mm	A	B	S	H	WT(g)
JL42A	20	60	70	20	104	870
JL42B	24	60	80	20	128	1460



T芯铰链

Hinge with T CorePin

NO.	D mm	H	H1	WT(g)
JL44A	40	60	50	520




带板方块铰链

Hinge with Cone CorePin


NO.	A	B	D	H	L	C	S	WT(g)
JL62AR	40	40	25	68	175	50	8	1367.4
JL62AL	40	40	25	68	175	50	8	1367.4





不锈钢合页弹簧铰链
spring hinge of 304ss

NO.	D	H	A	L	S	WT(g)
JL61ASS	22	180	94	79	1.7	534.8
304SS						



M16长杆双调节铰链
Adjustable Gate Hinge

NO.	M mm	L	A	C	B	S	SI	S2	WT(g)
JL84A	M16	80	111.5	34	50	6	3	5	828



1. Weld the bend plate to the gate jamb
焊接折弯板到门框边框



2. Insert the inner plate
插入滑动片



3. Assemble the connecting plate
组装连接片



Assemble the connecting plate
组装连接片



4. Adjust the hinge to a suitable height
调节铰链到合适的高度

The hinge features:

1. gates adjustable in six directions:
up and down, left and right, backward and forward ,
but general hinges only in two directions: left and right.
2. gate swings at 180 opening.

铰链特点:

1. 可以朝六个方向调节: 上下、左右、前后。
普通铰链只能左右调节。
2. 门可以旋摆180度。

Gate Hinge

门铰链

HINGE

焊接铰链

Q型铰链

Welding Hinge



NO.	D mm	A	L	S	WT(g)
JLQX12x80	12	16	78	2	72
JLQX14x100	13	17	102.5	2	108
JLQX16x120	15	20.5	121.5	2.3	177
JLQX16x140	16	21	143.5	2.5	236.5
JLQX18x170	17	23.5	173.5	2.5	333.5
JLQX20x200	19	27	204.5	2.5	487.5

圆头铰链

Welding Hinge



NO.	D mm	L	WT(g)
JLYT19x110G2	19	110	220
JLYT21x117G2	21	117	285
JLYT25x130G2	25	130	435
JLYT30x140G2	30	140	700
JLYT35x180G2	35	180	1200
JLYT45x220G2	45	220	2550

葫芦铰链

Welding Hinge



NO.	D mm	L	WT(g)
JLHL21X150G2	21	150	314
JLHL25X170G2	25	170	525

蘑菇头铰链

Welding Hinge



NO.	D mm	L	WT(g)
JLMG25X130G2	25	130	400
JLMG27X140G2	27	140	520
JLMG30X150G2	30	150	665
JLMG35X190G2	35	190	1200



Q型铰链

Welding Hinge

NO.	D mm	A	L	S	WT(g)
JLQX12x60	12	19.5	62.5	2.5	68
JLQX14x65	14	21.5	69	2.5	97
JLQX16x70	16	23	74	3	132
JLQX18x75	18	26	78	3	160
JLQX20x80	20	29.5	87	3	217.5
JLQX24x110	24	36	115	4	454.5
JLQX27x110	27	44	115	4	596

敲花铰链

Welding Hinge (with steel ball)



NO.	D mm	L	WT(g)
JLQH20x100G2	20	100	250
JLQH24x120G2	24	120	373
JLQH30x140G2	30	140	644
JLQH30x230G2	30	230	1294

螺栓头铰链


Welding Hinge




NO.	D mm	L	WT(g)
JLLS10X80G2			
JLLS16X100G2	16	100	118
JLLS21X140G2	21	140	297
JLLS25X170G2	25	170	591
JLLS30X180G2	30	180	827
JLLS30X200G2	30	200	938

旗型铰链

Welding Hinge



NO.	D mm	L	A	S	WT(g)
JL17A	14	80	54	3	130
JL17B	16	100	46	3	182
JL17C	18	110	52	4	266
JL17D	20	120	46	4	318
JL17E	22	140	41	4	443
JL17F	25	150	76	5	744



抽芯铰链
Hinge

NO.	D mm	L	WT(g)
JLGT10X55	10	55	32
JLGT12X60	12	60	53
JLGT14X60	14	60	71
JLGT16X70	16	70	113
JLGT16X85	16	85	130
JLGT18X75	18	75	151
JLGT20X75	20	75	192
JLGT22X75	22	75	225
JLGT25X100	25	100	405
JLGT25X120	25	120	480
JLGT30X120	30	120	691




鸡芯铰链
Raindrop Hinge

NO.	D mm	H	L	WT(g)
JLJX16x120	16	20	120	183
JLJX20x140	20	25	140	326
JLJX20x180	20	25	180	455
JLJX23x180	23	28	180	598
JLJX23x200	23	28	200	652
JLJX28x200	28	38	200	1050
JLJX28x260	28	38	260	1314




平头铰链
Welding Hinge

NO.	D mm	L	WT(g)
JLPT10x50	10	50	29
JLPT12x60	12	60	51
JLPT14x70G	14	70	82
JLPT16x70G	16	70	107
JLPT16x80G	16	80	122
JLPT18x80G	18	80	158
JLPT18x100G	18	100	194
JLPT20x80G	20	80	192
JLPT20x100G	20	100	239
JLPT22x120G	22	120	346
JLPT25x100G	25	100	373
JLPT25x120G	25	120	450
JLPT30x120G	30	120	646
JLPT30x140G	30	140	749



方块铰链
Hinge

NO.	A	B	D	L	WT(g)
JL94A	38	25	16	127	917
JL94B	60	40	25	152	2763.6



single bearing




Carbon Steel

304

单轴承侧焊铰链 碳钢 & 304

side welding hinge with single bearing (Carbon Steel & 304)

NO.	D	H	C	WT(g)
JL15A	48	50	35	488.4
JL15B	54	60	35	694.6
JL15ASS	48	50	35	537.3
JL15BSS	54	60	35	764.5



double bearing



Carbon Steel

304


双轴承侧焊铰链 碳钢 & 304

side welding hinge with double bearing (Carbon Steel & 304)

NO.	D	H	C	WT(g)
JL89A	48	50	35	532.2
JL89B	54	60	35	738.6
JL89ASS	48	50	35	581.2
JL89BSS	54	60	35	808.5


Gate Hinge Wooden Gate Hinge

木门铰链



木门铰链
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	WT(kg)
JL24A	M20	50	145	70	300	6	1.89
JL24B	M24	50	150	80	300	6	2.36
JL24C	M24	50	150	80	600	6	2.9
JL24D	M24	50	150	80	800	8	4.3
JL24E	M20	50	145	70	900	6	3.46
JL24F	M20	50	145	70	1200	8	5.21




直角铰链
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	F	WT(kg)
JL26A	M24	100	80	150	150	6	138	2.276



长板铰链
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	WT(kg)
JL25A	M16	40	130	35	470	5	1.31
JL25B	M16	40	130	35	670	5	1.6
JL25C	M16	40	130	35	400	5	1.3
JL25D	M16	40	130	35	500	5	1.4
JL25E	M16	40	130	35	800	5	1.9
JL25F	M16	40	130	35	1000	5	2.2
JL25G	M16	40	130	35	300	5	1.032




木门铰链
Wooden Gate Hinge

NO.	Mmm	A	B	C	L*H	S	WT(kg)
JL68A	M24	50	150	80	300*300	6	3.08
JL68B	M20	50	145	70	900*300	6	4.2



平角铰链
Wooden Gate Hinge


NO.	Mmm	A	B	C	L	S	F	WT(kg)
JL27A	M24	150	80	150	100	6	138	2.376



长板铰链
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	WT(kg)
JL28A	M20	40	145	70	730	5	2.26






七字插销
Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
CX04A	16	140	23	100	200	4	594
CX04B	16	140	23	100	320	4	795
CX04C	16	140	23	100	520	4	1115.5




盒子插销
Gate Latch

NO.	D mm	A	C	L	S	WT(g)
CX07A	14	145	30	180	15	394.5




双柱插销
Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
CX11A	8	160	25	37	145	2	171




双T插销
Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
CX15A	12	102	32	53	170	3	472
CX15B	16	102	32	53	170	3	517




板头插销
Gate Latch

NO.	D mm	A	C	L	S	WT(g)
CX17B	16	140	23	300	4	696
CX17C	16	140	23	500	4	1011




普通插销
Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
CX05A	12	102	30	15	90	1.5	151
CX05B	17.5	150	48	20	132	2	447
CX05C	17.5	190	48	20	172	2	554




曲伸插销
Gate Latch

NO.	D mm	A	C	L	S	WT(g)
CX08A	12	325	16	330-355	5	530




连接件
Gate Latch

NO.	A mm	C	L	S	WT(g)
CX12A	263	20	475	3	285.5
CX12B	363	20	570	3	330



双L插销
Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
CX16A	12	118	25	52	160	3	335
CX16B	16	118	25	52	160	3	432




Q型插销
Gate Latch

NO.	A mm	C	B	H	L	S	WT(g)
CX18A	31	38	13	23	68	1.2	89



Gate Latch

门插销




工字板插销

Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
-----	------	---	---	---	---	---	-------

CX20A	15	225	40	35	225	3	810
-------	----	-----	----	----	-----	---	-----




凸型插销

Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
-----	------	---	---	---	---	---	-------

CX22A	9	90	33	50	138	1	146.5
-------	---	----	----	----	-----	---	-------

CX22B	14	90	42.5	30	140	2	300
-------	----	----	------	----	-----	---	-----



花纹插销

Gate Latch

NO.	D mm	A	C	B	L	S	WT(g)
-----	------	---	---	---	---	---	-------

CX21A	10	175	27	16	160	5	322
-------	----	-----	----	----	-----	---	-----



CX21B	12	225	30	16	240	5	602
-------	----	-----	----	----	-----	---	-----

CX21C	12	270	30	16	270	5	696
-------	----	-----	----	----	-----	---	-----

CX21D	12	330	30	16	325	5	789
-------	----	-----	----	----	-----	---	-----

CX21E	12	420	30	16	405	5	981
-------	----	-----	----	----	-----	---	-----

CX21F	9	145	25	16	127	5	273
-------	---	-----	----	----	-----	---	-----



蝴蝶插销

Gate Latch


NO.	D mm	L	A	B	H	S	WT(g)
-----	------	---	---	---	---	---	-------

CX27A	6.5	46	30	33.5	11	0.8	24
-------	-----	----	----	------	----	-----	----

CX27B	7.5	60	40	38.5	12.5	0.8	43.5
-------	-----	----	----	------	------	-----	------

CX27C	9	74	50	48.5	14	1.2	74.5
-------	---	----	----	------	----	-----	------

CX27D	9	90	60	50	14	1.2	88
-------	---	----	----	----	----	-----	----




竖插销

Gate Latch

NO.	D mm	L	A	C	H	S	WT(g)
-----	------	---	---	---	---	---	-------

CX30A	12.7	300	110	38	18.5	2	431
-------	------	-----	-----	----	------	---	-----



方板插销

Gate Latch


NO.	D mm	L	A	B	H	S	WT(g)
-----	------	---	---	---	---	---	-------

CX28A	13	108	70	66	21	2	226
-------	----	-----	----	----	----	---	-----

CX28B	13	127	85	66	21	2	274.6
-------	----	-----	----	----	----	---	-------

CX28C	13	145.5	100	66	21	2	314.6
-------	----	-------	-----	----	----	---	-------

CX28D	15	185	120	66	21	2	451
-------	----	-----	-----	----	----	---	-----




重力插销

D Latch & Striker Pack

NO.	A mm	B	H	S	D	L	F	E	WT(g)
-----	------	---	---	---	---	---	---	---	-------

CX31A	59	44	60	2	8	110	37	4.5	175
-------	----	----	----	---	---	-----	----	-----	-----




摇摆插销

D Latch & Striker Pack

NO.	A mm	H	L	S	WT(g)
-----	------	---	---	---	-------

CX33A	25	80	101	3	272
-------	----	----	-----	---	-----






方管带板横插销

Gate Latch


NO.	A	B	L	D	L1	E	F	WT(g)
CX35A	160	38	140	12	50	38	45	354.5
CX35B	215	50	200	16	60	50	55	1005



双柱插销 (新款)

Gate Latch

NO.	B	A	D	L	S	WT(g)
CX39A	120	25	7.5	100	2	145.2
CX39B	160	25	7.5	120	2	167.6
CX39C	200	32	11	165	2	263.6
CX39D	250	32	11	215	2	424.8
CX39E	300	32	11	265	2	486.8



带螺栓方管插销


Gate Bolt With Screw Handle

NO.	D mm	L	A	WT(g)
CX41A	12	200	16*16	316
CX41B	12	300	16*16	467
CX41C	12	400	16*16	626




产品实拍图

Product actual shooting pictures




CX41



旋转弹簧插销

Gate Latch

NO.	D	L	H	A	B	S	WT(g)
CX36A	20	230	100	140	32	110	1634



扣环插销

Straight Barrel Bolt

NO.	Dmm	L	A	B	H	S	WT(g)
CX43A	7	46	28	51	10	1	33
CX43B	7	58	28	64	10	1	38
CX43C	7	70	28	76	10	1	47
CX43D	7	85	28	89	10	1	40
CX43E	8	110	33	110	11.5	1	94
CX43F	10	103	35	115	14	2	158
CX43G	10	160	35	173	13.5	1.5	202
CX43H	12	115	43	126	17	1.5	237
CX43J	12	164	43	177	17	1.5	308
CX43J	12	207	43	220	17	1.5	371



鸭嘴方管插销


Gate Bolt With Flat Handle

NO.	D mm	L	A	WT(g)
CX42A	12	200	16*16	320
CX42B	12	300	16*16	478
CX42C	12	400	16*16	624



产品实拍图

Product actual shooting pictures




CX42


Post Cap 柱盖

塑料圆形柱盖

Plastic Round Post Cap



NO.	H mm	D	S	WT(g)
ZG0601	9	10	1-1.5	1
ZG0602	9,2	15	1-1.5	1
ZG0603	11,4	20	1-1.5	1.5
ZG0604	11,3	25	1-1.5	2
ZG0605	11,6	30	1-1.5	3
ZG0606	12	32	1-1.5	4
ZG0607	11,3	40	1-1.5	5
ZG0608	12	42	1-1.5	6
ZG0609	12	48	1-1.5	7
ZG0610	13	50	1-1.5	8
ZG0611	13	55	1-1.5	10
ZG0612	14	60	1-1.5	12.5
ZG0613	15	70	1-1.5	14.5
ZG0614	15	76	1.5-2	25
ZG0615	18	90	1.5-2	25
ZG0617	18	100	1.5-2	55
ZG0618	18	110	1.5-2	65
ZG0616	18	102	1.5-2	44




塑料长方形柱盖

Plastic Rectangle Post Cap

NO.	H mm	B	L	S	WT(g)
ZG0701	12	20	10	1-1.5	1.5
ZG0702	12	25	15	1-1.5	2.5
ZG0703	12	30	10	1-1.5	2.5
ZG0704	12	30	15	1-1.5	3.5
ZG0705	12	30	20	1-1.5	4
ZG0706	12	30	25	1-1.5	4.5
ZG0707	12	40	10	1-1.5	5
ZG0708	12	40	15	1-1.5	5
ZG0709	12	40	20	1-1.5	5.5
ZG0710	13	40	25	1-1.5	6
ZG0711	14	40	30	1-1.5	6.5
ZG0712	14	50	20	1-1.5	7
ZG0713	14	50	25	1-1.5	7
ZG0714	14	50	30	1-1.5	7.5
ZG0715	14	50	30	1-1.5	10
ZG0716	14	50	34	1-1.5	11
ZG0717	14	50	40	1-1.5	11.5
ZG0718	15	60	20	1-1.5	13
ZG0719	15	60	25	1-2.5	14
ZG0720	23	60	30	1.5-2	19
ZG0721	23	60	40	1.5-2	24.5
ZG0723	15	70	25	1-1.5	17
ZG0724	15	70	30	1-1.5	18
ZG0725	15	70	40	1-1.5	19
ZG0727	15	80	20	1-1.5	22
ZG0728	15	80	30	1-1.5	24
ZG0729	23	80	40	1-2	31
ZG0731	18	80	50	1-1.5	26
ZG0732	18	80	60	1-1.5	28
ZG0734	18	100	40	1-1.5	30
ZG0735	23	100	50	1.5-2.5	42.5
ZG0736	18	120	30	1-1.5	45
ZG0737	18	120	40	1-1.5	55
ZG0738	18	120	60	1.5-2	60
ZG0739	20	120	80	1.5-2	83
ZG0740	22	140	80	1.5-2	70
ZG0741	22	150	100	1.5-2	91

塑料正方形柱盖

Plastic Square Post Cap




NO.	H mm	B	L	S	WT(g)
ZG0801	9	15	15	1-1.5	2
ZG0802	13	20	20	1-1.5	3
ZG0803	13	25	25	1-1.5	4
ZG0805	14	30	30	1-1.5	8
ZG0806	18	40	40	1-1.5	13
ZG0807	14	45	45	1-1.5	16
ZG0808	18	50	50	1-1.5	21
ZG0809	22	60	60	2-2.5	31.5
ZG0810	23	70	70	2-2.5	35
ZG0811	23	80	80	1.5-2	43.5
ZG0812	22	90	90	1.5-2	54
ZG0813	24	100	100	2-3	69
ZG0814	23	120	120	1.5-2	142




不带孔金字塔柱盖
Pyramid Post Cap

NO.	A mm	H1	H	S	WT(g)
ZG01A	30	10	15	1.2	19
ZG01B	40	10	15	1.2	30
ZG01C	50	10	17	1.2	40
ZG01D	60	10	18	1.2	55
ZG01E	80	10	18	1.2	88
ZG01F	100	10	23	1.2	130
ZG01G	120	13	30	1.2	196
ZG01H	150	17	30	1.2	305
ZG01K	200	12.5	32	2.0	826




圆形柱盖
Round Post Cap

NO.	D mm	H	h	S	Wt(g)
ZG03A	2"	20	12	1	30
ZG03B	2.5"	22	13	1	43
ZG03C	3"	34	21	1	75



球形柱盖
Ball Post Cap

NO.	A mm	D	H	S	WT(g)
ZG04A	40	40	54	1	53
ZG04B	50	50	74	1	82
ZG04C	60	60	80	1	109
ZG04D	70	67	92	1	151
ZG04E	80	77	100	1	214
ZG04F	100	95	115	1	295



带孔金字塔柱盖
Pyramid Post Cap with Holes

NO.	A mm	H1	H	S	WT(g)
ZG02A	40	12	20	1	30
ZG02B	50	15	25	1	45
ZG02C	60	17	27	1	63
ZG02D	80	20	37	1	105



ROLLING SHUTTER DOOR

卷帘门系列

卷帘门弹簧盒

Spring Box for Rolling Shutter Door

NO.	D mm	d	H	Thickness	WT(kg)
TH01A	200	42	80	1	1.079
TH01B	200	48	80	1	1.081
TH01C	200	60	80	1	1.073
TH01D	220	42	80	1	1.183
TH01E	220	48	80	1	1.185
TH01F	220	60	80	1	1.177

门把手

Handle for for Roller Shutter Door

NO.	A mm	B	H	L	Thickness	WT(g)
BS01A	130	25.5	75	107	1.5	149.5

锁板

Lock plate

NO.	H mm	L	S	WT(g)
SB02A	107	280	2	417.5

锁壳

Lock Box

NO.	A mm	H	H1	B	D	C	S	WT(g)
SK03A	89	139	107	46	56	35	1.5	340

锁壳

Lock Box

NO.	A mm	L	B	H	S	WT(g)
SK02A	20	160	70	80	2	393
SK02B	20	185	90	80	2	448
SK02C	30.5	215	72	102	2	825.5

卷帘门钩子

Hook for Rolling Shutter Door

NO.	A mm	L	Thickness	WT(g)
TG01A	90	120	1.5	135

锁盖

Lock Cover

NO.	L mm	H	B	A	Thickness	WT(g)
MG01A	330	228	56	154	1	717

LOCK BOX

锁壳系列

锁板

Lock plate

NO.	H mm	L	B	S	WT(g)
SB01A	109	270	90.5	3	588.5


锁壳

Lock Box

NO.	L	H	A	B	C	E	D	S	WT(g)
SK04A	172	134	112	52	33	85	54	2	800

把手系列

HANDLE



小号扭花把手

Handle



NO.	A	B	H	L	D	S	WT(g)
BS05A	158	25.5	47	125	10	3	157



圆管门把手

Round pipe door handle



NO.	H mm	L	D	WT(g)
BS02A	300	95	28	655



内嵌式门把手(电镀)

Embedded door handle (Electroplate)


NO.	A	B	H	S	WT(g)
BS08A	165	53	15.5	1.5	128



带背板内嵌式门把手

Embedded handle with plate


NO.	A	B	H	S	WT(g)
BS10A	165	53	17	1.5	176



大号扭花把手

Handle


NO.	A	B	H	L	D	S	WT(g)
BS06A	195	37.5	47	125	10	3	275



门把手

Gate Handle

NO.	L	C	S	H	A	d	WT(g)
BS07A	180	12	2	24	110	4.2	39.6



内嵌式门把手(喷塑)

Embedded door handle (Spray Moulding)

NO.	A	B	H	S	WT(g)
BS09A	165	53	15.5	1.5	128




GEAR RACK

齿条系列

尼龙齿条

Nylon Gear Rack




NO.	模数Module	外形 Lugs	H mm	L	WT(g)
CT03A(Light)	M4	2眼 2 Lugs	26	340	299
CT03A-Z(Heavy)	M4	2眼 2 Lugs	28	340	500
CT03B	M4	4眼 4 Lugs	26	1010	856
CT03C	M4	6眼 6 Lugs	27	1020	1338



铁齿条

Steel Gear Rack




NO.	模数Module	A mm	H	L	WT(kg/m)
CT01A	M4	8	30	1m/2m	1.75
CT01B	M4	9	30	1m/2m	1.95
CT01C	M4	10	30	1m/2m	2.17
CT01D	M4	11	30	1m/2m	2.36
CT01E	M4	12	30	1m/2m	2.55
CT01F	M4	22	22	1m/2m	3.1
CT01G	M4	30	30	1m/2m	5.4
CT02A	M6	30	30	1m/2m	5.5

PLAIN STEEL BASE PLATE

立柱底板系列

直角立柱底板

Plain Steel Base Plate




NO.	A mm	B	S	WT(g)
LZDB100x100x5K13	100	100	5	361
LZDB130x130x5K13	130	130	5	632
LZDB80x80x8K10.5	80	80	8	399.8
LZDB100x80x8K10	100	80	8	474.8
LZDB120x120x8K11	120	120	8	872.4
LZDB130x130x8K13	130	130	8	1015.6
LZDB150x80x8K11	80	150	8	717.4
LZDB150x120x8K12	120	150	8	1101.8
LZDB150x150x8K11	150	150	8	1365.6
LZDB150x150x8K13	150	150	8	1360.8
LZDB170x170x8K13	170	170	8	1764.4
LZDB200x200x8K16	200	200	8	2441.6
LZDB200x150x8K16	200	150	8	1816.8
LZDB200x200x10K13	200	200	10	3016.8
LZDB250x250x10K13	250	250	10	4735.4

圆角立柱底板

Plain Steel Base Plate




NO.	A mm	B	S	WT(g)
LZDB75x75x4K10	75	75	4	161
LZDB100x100x4K10	100	100	4	293.8
LZDB125x125x6K11	125	125	6	702.2
LZDB150x150x6K11	150	150	6	1032.6
LZDB175x175x6K13	175	175	6	1395.8
LZDB200x200x6K13	200	200	6	1831.8
LZDB125X125X8K14	125	125	8	938
LZDB150X150X8K14	150	150	8	1366
LZDB175X175X8K14	175	175	8	1872
LZDB200X200X8K14	200	200	8	2457



叠片Y槽单轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Single Bearing, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HD1Y50SS	50	15	25	8.5	95	238
HD1Y60SS	58	17	26	10	110	350
HD1Y70SS	68	20	32	8.5	134	583
HD1Y80SS	78	20	32	13.5	134	736
HD1Y90SS	88	20	34	8	152	1030
HD1Y100SS	98	22	34	13	152	1293
HD1Y120SS	118	25	36	12	200	2161



叠片Y槽双轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Double Bearings, Y groove)


NO.	D mm	A	C	H	L	WT(g)
HD2Y70SS	68	25	33	7	136	725
HD2Y80SS	78	25	33	12	136	913
HD2Y90SS	88	25	33	8	152	1236
HD2Y100SS	98	25	33	13	152	1486
HD2Y120SS	118	30	42	16	200	2647



叠片U槽单轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Single Bearing, U groove)


NO.	D mm	A	C	H	d	WT(g)
HD1U50R6SS	50	15	25	8.5	12.5	218
HD1U60R8SS	58	17	26	10	16.5	360
HD1U70R8SS	68	20	32	8.5	16.5	562
HD1U80R8SS	78	20	32	13.5	16.5	672
HD1U90R8SS	88	20	34	8	16.5	965
HD1U100R8SS	98	22	34	13	16.5	1259
HD1U80R10SS	78	24	32	13.5	20.5	717
HD1U90R10SS	88	25	34	8	20.5	1040
HD1U100R10SS	98	25	34	13	20.5	1282
HD1U120R10SS	118	25	36	12	20.5	2004



叠片U槽双轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Double Bearings, U groove)


NO.	D mm	A	C	H	d	WT(g)
HD2U70R10SS	68	25	33	7	20.5	622
HD2U80R10SS	78	25	33	12	20.5	821
HD2U90R10SS	88	25	33	8	20.5	1104
HD2U100R10SS	98	25	33	13	20.5	1359
HD2U120R10SS	118	30	42	16	20.5	2525



叠片V槽单轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Single Bearing, V groove)

NO.	D mm	A	C	H	L	WT(g)
HD1V50SS	50	15	25	8.5	95	247
HD1V60SS	58	17	26	10	110	353
HD1V70SS	68	20	32	8.5	134	595
HD1V80SS	78	20	32	13.5	136	770
HD1V90SS	88	20	34	8	152	1033
HD1V100SS	98	22	34	13	152	1294
HD1V120SS	118	25	36	12	200	2181




叠片V槽双轴承滑轮 (304, stainless steel)

Sliding Gate Wheel with Interior Bracket(Double Bearings, V groove)

NO.	D mm	A	C	H	L	WT(g)
HD2V70SS	68	25	33	7	136	733
HD2V80SS	78	25	33	12	136	934
HD2V90SS	88	25	33	8	152	1245
HD2V100SS	98	25	33	13	152	1502
HD2V120SS	118	30	42	16	200	2659

304 Stainless Steel

不锈钢



梯形Y槽单轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Single Bearing, Y groove)

NO.	D	A	C	H	L	WT(g)
HT1Y50SS	50	15	25	57	75	257
HT1Y60SS	58	17	28	64	85	387
HT1Y70SS	68	20	35	80	100	616
HT1Y80SS	78	20	35	85	100	779
HT1Y90SS	88	20	36	100	132	1108
HT1Y100SS	98	22	36	105	132	1371
HT1Y120SS	118	25	37	127	158	2307




梯形Y槽双轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Double Bearings, Y groove)

NO.	D	A	C	H	L	WT(g)
HT2Y70SS	68	25	35	80	100	749
HT2Y80SS	78	25	35	85	100	936
HT2Y90SS	88	25	36	100	132	1312
HT2Y100SS	98	25	36	105	132	1562
HT2Y120SS	118	30	42	127	158	2762




梯形U槽单轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Single Bearing, U groove)

NO.	D	A	C	H	d	WT(g)
HT1U50R6SS	50	15	25	57	12.5	237
HT1U60R8SS	58	17	28	64	16.5	397
HT1U70R8SS	68	20	35	80	16.5	575
HT1U80R8SS	78	20	35	85	16.5	731
HT1U90R8SS	88	20	36	100	16.5	1043
HT1U100R8SS	98	22	36	105	16.5	1337
HT1U80R10SS	78	24	35	85	20.5	776
HT1U90R10SS	88	25	36	100	20.5	1118
HT1U100R10SS	98	25	36	105	20.5	1360
HT1U120R10SS	118	25	37	127	20.5	2112




梯形U槽双轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Double Bearings, U groove)

NO.	D	A	C	H	d	WT(g)
HT2U70R10SS	68	25	35	80	20.5	646
HT2U80R10SS	78	25	35	85	20.5	845
HT2U90R10SS	88	25	36	100	20.5	1180
HT2U100R10SS	98	25	36	105	20.5	1436
HT2U120R10SS	118	30	42	127	20.5	2640




梯形V槽单轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Single Bearing, V groove)

NO.	D	A	C	H	L	WT(g)
HT1V50SS	50	15	25	57	75	265
HT1V60SS	58	17	28	64	85	390
HT1V70SS	68	20	35	80	100	627
HT1V80SS	78	20	35	85	100	792
HT1V90SS	88	20	36	100	132	1111
HT1V100SS	98	22	36	105	132	1372
HT1V120SS	118	25	37	127	158	2328



梯形V槽双轴承滑轮 (304, stainless steel)
Sliding Gate Wheel with Exterior Bracket(Double Bearings, V groove)


NO.	D	A	C	H	L	WT(g)
HT2V70SS	68	25	35	80	100	757
HT2V80SS	78	25	35	85	100	957
HT2V90SS	88	25	36	100	132	1321
HT2V100SS	98	25	36	105	132	1578
HT2V120SS	118	30	42	127	158	2774



带螺杆Y槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, Y groove)

NO.	D mm	A	C	E	WT(g)
HL1Y50SS	50	15	26	M8*40	152
HL1Y60SS	58	17	24	M10*55	284
HL1Y70SS	68	20	28	M10*55	444
HL1Y80SS	78	20	28	M10*55	607
HL1Y90SS	88	20	30	M12*60	826
HL1Y100SS	98	22	30	M12*60	1089
HL1Y120SS	118	25	34	M14*70	1834



带螺杆Y槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, Y groove)


NO.	D mm	A	C	E	WT(g)
HL2Y70SS	68	25	31	M10*55	550
HL2Y80SS	78	25	31	M10*55	736
HL2Y90SS	88	25	30	M14*70	1045
HL2Y100SS	98	25	30	M14*70	1294
HL2Y120SS	118	30	42	M14*70	2244



带螺杆U槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, U groove)


NO.	D mm	A	C	E	d	WT(g)
HL1U50R6SS	50	15	26	M8*40	12.5	132
HL1U60R8SS	58	17	24	M10*55	16.5	294
HL1U70R8SS	68	20	28	M10*55	16.5	403
HL1U80R8SS	78	20	28	M10*55	16.5	559
HL1U90R8SS	88	20	30	M12*60	16.5	761
HL1U100R8SS	98	22	30	M12*60	16.5	1055
HL1U80R10SS	78	24	28	M10*55	20.5	634
HL1U90R10SS	88	25	30	M12*60	20.5	836
HL1U100R10SS	98	25	30	M12*60	20.5	1078
HL1U120R10SS	118	25	34	M14*70	20.5	1677



带螺杆U槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, U groove)

NO.	D mm	A	C	E	d	WT(g)
HL2U70R10SS	68	25	31	M10*55	20.5	446
HL2U80R10SS	78	25	31	M10*55	20.5	645
HL2U90R10SS	88	25	30	M14*70	20.5	913
HL2U100R10SS	98	25	30	M14*70	20.5	1168
HL2U120R10SS	118	30	42	M14*70	20.5	2122



带螺杆V槽单轴承滑轮

Sliding Gate Wheel with Bolt(Single Bearing, V groove)

NO.	D mm	A	C	E	WT(g)
HL1V50SS	50	15	26	M8*40	161
HL1V60SS	58	17	24	M10*55	286
HL1V70SS	68	20	28	M10*55	456
HL1V80SS	78	20	28	M10*55	621
HL1V90SS	88	20	30	M12*60	829
HL1V100SS	98	22	30	M12*60	1090
HL1V120SS	118	25	34	M14*70	1854




带螺杆V槽双轴承滑轮

Sliding Gate Wheel with Bolt(Double Bearings, V groove)

NO.	D mm	A	C	E	WT(g)
HL2V70SS	68	25	31	M10*55	557
HL2V80SS	78	25	31	M10*55	757
HL2V90SS	88	25	30	M14*70	1054
HL2V100SS	98	25	30	M14*70	1310
HL2V120SS	118	30	42	M14*70	2256


304 Stainless Steel

不锈钢




东欧五轮 (60x60) (304, stainless steel)
Cantilever Gate Carriage (5 Wheels, for 60X60 Track)

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL60x60.03SS	50	44	13	8	145*100	127	2.657




东欧五轮后盖 (304, stainless steel)
End Cap

NO.	Amm	H	L	B	S	WT(g)
HG60x60SS	60	60	59	52	3	250.5




东欧五轮门兜 (304, stainless steel)
End Stop

NO.	Amm	A1	B	C	S	WT(kg)
MD60x60SS	130	80	67	72	4	0.87
MD5S8SSS	130	80	82.5	70	4	1.014




门兜托架 (304, stainless steel)
Bracket for End Stop

NO.	Amm	H	L	B	C	S	WT(g)
TJ09ASS	113	174	175	88	46	4	1113




两轮高低单片框架 (304, stainless steel)
Guide Bracket with Nylon Roller

NO.	D*H1mm	A	H	H2	L	L1	S	WT(g)
KJ07ASS	30*40	55	40	60	165	38.5-83.5	4	657




东欧升降五轮 (精简款) (80x80) (304, stainless steel)
Adjustable Cantilever Gate Carriage (5 Wheels, for 80X80 Track)

NO.	Dmm	C	C1	S	A*B	H	WT(kg)
XL80X80SJCSS	68	61	15	8	200*100	150-172	5.414




东欧五轮导轮 (60x60) (304, stainless steel)
Guide Wheel (for 60X60 Track)

NO.	Dmm	C	B	A*H	L	S	WT(kg)
DL60x60SS	64	15	51	60*60	140	3	0.919




螺杆门兜 (304, stainless steel)
End Stop (with 2 Nylon Rollers & Bolts)

NO.	L mm	B	H	H1	S	WT(g)
MD06ASS	40	70	76	50	5	520
MD06BSS	60	70	76	50	5	519



拖鞋门吸 (304, stainless steel)
Gate Stopper with Base Plate for Two Leaf Gate


NO.	H mm	A*B	h	S	WT(g)
MX05ASS	43	120*100	20	2	240



方管框架 (304, stainless steel)
Guide Bracket with Nylon Roller


NO.	D mm	H	L	L1	AxB	S	WT(g)
KJ17ASS	43	38	310	0-195	100X100	4	1185






长板铰链 (304, stainless steel)
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	WT(kg)
JL25ASS	M16	40	130	35	470	5	1.308




长板铰链 (304, stainless steel)
Wooden Gate Hinge

NO.	Mmm	A	B	C	L	S	WT(kg)
JL28ASS	M20	40	145	70	730	6	2.26




方头螺帽铰链 (304, stainless steel)
Adjustable Gate Hinge with Nut

NO.	Mmm	L	A	B	D	S	WT(g)
JL01ESS	M16	40-60	20	36	25	5	310
JL01GSS	M20	44-68	20	36	31	5	366




带焊接板欧式螺帽铰链 (304, stainless steel)
Adjustable Gate Hinge with Square Plate

NO.	Mmm	A	B	S	H	D	L	WT(g)
JL01E.02SS	16	115	40	5	20	25	45-65	480
JL01G.02SS	20	115	40	5	21	31	49-73	580



方头圆片铰链 (304, stainless steel)
Adjustable Gate Hinge with Round Plate

NO.	Mmm	L	A	B	D	S	WT(g)
JL02ESS	M16	40-60	16	33	52	5	374
JL02GSS	M20	44-66	17	36	50	5	418




带焊接板欧式圆片铰链 (304, stainless steel)
Adjustable Gate Hinge with Square Plate

NO.	Mmm	A	B	S	D	SI	L	WT(g)
JL02E.02SS	16	115	40	5	52	5	45-65	506
JL02G.02SS	20	115	40	5	50	5	49-71	840



方头方片铰链 (304, stainless steel)
Adjustable Gate Hinge with Square Plate

NO.	Mmm	L	A	B	C	S	WT(g)
JL03ESS	M16	40-60	18	36	80*80	5	503
JL03GSS	M20	44-65	20	36	100*100	5	678




带焊接板欧式方片铰链 (304, stainless steel)
Adjustable Gate Hinge with Square Plate

NO.	Mmm	A	B	S	C	SI	L	WT(g)
JL03E.02SS	16	115	40	5	80x80	4	45-65	659
JL03G.02SS	20	115	40	5	100x100	4	49-70	528

304 Stainless Steel


不锈钢

长杆方头带板铰链 (304, stainless steel)
Adjustable Gate Hinge




NO.	Mmm	L	B	A	C	S	WT(g)
JL05ESS	M16	131	36	100	60	8	770
JL05GSS	M20	138	36	120	60	8	952

长杆方头焊接板铰链 (304, stainless steel)
Adjustable Gate Hinge



NO.	Mmm	L	A	H	B	S	WT(g)
JL67ASS	M16	131	40	115	36	5	610


四轮轴承挂轮 (304, stainless steel)
Hanging Door Roller (4 Rollers, Forge Centre Plate)



NO.	Dmm	C	C1	M	H	A*B	WT(g)
GL04B.01SS	44	24	11	M12	127	120*31	573




L板平槽挂轮托架 (304, stainless steel)
Fixing Bracket for Hanging Door Rail (Wall Fixing)



NO.	A mm	H	H1	L*L1	S	WT(g)
TJ02BSS	53	71	50	70x60	4	607


平板平槽挂轮托架 (304, stainless steel)
Fixing Bracket for Hanging Door Rail (Ceiling Fixing)



NO.	A mm	H	L	L1	S	WT(g)
TJ04BSS	53	71	120	60	4	589




七字插销 (304, stainless steel)
Gate Latch



NO.	Dmm	A	C	B	L	S	WT(g)
CX04BSS	16	140	23	100	320	4	761






弯管铰链

Gudgeon Trunnion Hinge


NO.	A mm	B	D	L	M	WT(g)
JL31A	40	140	27	90	16	630



烟斗铰链

Adjustable Bolt Hinge


NO.	A mm	B	D	L	M	WT(g)
JL30A	40	160	25	125	M16	830
JL30B	50	160	30	100	M16	987



叉头方片铰链

Adjustable Bolt Hinge


NO.	A mm	B	C	L	M	S	WT(g)
JL29A	47	42	65	171	16	2.5	825
JL29B	56	54	75	171	16	2.5	895



弯管铰链

Gudgeon Trunnion Hinge


NO.	A mm	B	S	L	H	M	WT(g)
JL31C	52	120	5	90	31	16	812.4



平头烟斗铰链

Adjustable Bolt Hinge

NO.	A mm	B	S	D	L	H	M	WT(g)
JL30C	40	150	5	24	100	80	M12	611.8
JL30D	50	180	5	27	100	90	M16	924.2




八字铰链

Weld on Pin & Socket with Bearing


NO.	D mm	H	L	S	WT(g)
JL50A	16	40	92	3	316
JL50B	20	56	116	5	795
JL50C	27	60	148	6	1569
JL50D	12	30	68	3	180






不对称蝶形铰链
Butt Hinge

NO.	L	H	C	A	B	D	S	WT(g)
JL51AR	85	86	40	50	22	22	4	353.5
JL51BR	90	99	44	50	22	25	5	490
JL51CR	145	150	65	74	51	32	5	1272
JL51DR	430	150	65	74	338	32	5	2092
JL51ER	125	150	65	75	30	32	5	1172




蝶形铰链
Butt Hinge

NO.	L mm	H	C	D	S	WT(g)
JL52AR	100	86	40	22	4	455




不对称蝶形铰链
Butt Hinge

NO.	L	H	C	A	B	D	S	WT(g)
JL51AL	85	86	40	50	22	22	4	353.5
JL51BL	90	99	44	50	22	25	5	490
JL51CL	145	150	65	74	51	32	5	1272
JL51DL	430	150	65	74	338	32	5	2092
JL51EL	125	150	65	75	30	32	5	1172




蝶形铰链
Butt Hinge

NO.	L mm	H	C	D	S	WT(g)
JL52AL	100	86	40	22	4	455



蝶形铰链
Butt Hinge

NO.	L mm	H	C	D	S	WT(g)
JL52BR	115	99	44	25	5	545





蝶形铰链
Butt Hinge

NO.	L mm	H	C	D	S	WT(g)
JL52BL	115	99	44	25	5	545



带油孔旗形铰链
Flag Hinge with Grease Fitting

NO.	C mm	H	L	S	WT(g)
JL54A	22	50	66	4	360



长L插销

Long L Slide Bolt

NO.	Cmm	A	D	L	S	WT(g)
CX09A	40	98	12	300	3	448
CX09B	40	98	12	600	3	712.5

钩头插销



Cane Bolt with Hook

NO.	Cmm	A	D	L	S	WT(g)
CX25A	34	177	16	300	3	760
CX25B	34	177	16	500	3	1075
CX25C	34	177	16	450	3	968
CX25D	30	150	12	400	3	575
CX25E	30	150	12	600	3	753

双轮可调L型大框架

Roller Guide with Bracket


NO.	D mm	H1	A	H	L	L1	WT(g)
KJ05A	40	60	50	225	190	0-77	1350



可调门兜

End Stop (Roller Guided)

NO.	A mm	H	D	H1	L	B	WT(g)
MD05A	55-90	80	40	130	120	100	2850



尖嘴插销


Slide Bolt


NO.	Cmm	A	B	D	L	S	WT(g)
CX26A	30	58	15	8	87	1	74
CX26B	34	106	15	8	144	1	119
CX26C	40	140	16	9	190	1.5	203

宽轮上下可调框架

Roller Guide with Bracket


NO.	D mm	C	H	L	L1	S	WT(g)
KJ13A	42	40	116	150	158	4	1197
KJ13A.02	42	40	166	150	158	4	1445






梯形柱盖 (带卡槽)
Post Cap

NO.	A mm	H	h	S	WT(g)
ZG11A	50	25	14.5	1	44
ZG11C	75	29	18.5	1	87
ZG11E	100	33	18	1	147
			13.5	1	35




梯形柱盖
Post Cap

NO.	A mm	H	h	S	WT(g)
ZG13A	125	30	15	1.6	273
ZG13B	150	30	17	1.6	382



圆形柱盖
Post Cap

NO.	D mm	H	h	S	WT(g)
ZG12A	220	40	23	2	874
ZG12B	165	40	23	2	539
ZG12C	140	37	23	1.5	299.8
ZG12D	115	36	22	1.5	217.4




双边单孔方管固定架
Mounting Post Plate

NO.	A mm	C	B	D	H	S	WT(g)
FGGDJ01A	85	48	31	31	24	1.5	67
FGGDJ01B	85	48	26	39	24	1.5	67
FGGDJ01C	85	48	41	41	24	1.5	60





澳洲预埋铁
Post Base Plate

NO.	A*B mm	A1*B1	S	WT(kg)
AYMT175	175	78	12	2.1
AYMT200	200	103	12	2.5
AYMT250	250	153	12	3.3



澳洲塑料方块
Plastic Block


NO.	A mm	B	C	H	WT(g)
FK01A	76	74	28	62.5	315



澳洲铝合金轨道
Aluminium Alloy Track

NO.	C mm	H	L	S	A	WT(g)
FG01A	40	27	82	3	300	305





Heavy Duty Single Track Wheel

四轮带轴承挂轮

NO.	A	B	C	D	C1	M	L	H	WT(g)
GL17A	19	90	40	55	9	12	80	60	548



Heavy Duty Single Track

四轮挂轮

NO.	A	B	C	D	C1	M	L	H	WT(g)
GL46A	19	90	40	55	9	12	80	60	503.8



Standard Plain Steel Overhead Box Track

挂轮轨道

NO.	A	B	C	S	WT(g)
GG02A	44	58	21	1.5	2400/M



Heavy Duty Single Track Wheel

两轮带轴承挂轮


NO.	A	C	D	C1	M	L	WT(g)
GL49A	19	40	55	9	12	100	331



Heavy Duty Single Track Wheel

两轮挂轮

NO.	A	C	D	C1	M	L	WT(g)
GL50A	19	40	55	9	12	100	310




Single Ceiling Bracket Galvanized

单轨平板托架

NO.	A	B	C	H	S	L	E	WT(g)
TJ08A	69	50	44.5	89	4	124	38	455.5






Single Pivot Side-wall Bracket Galvanized

单轨L型托架


NO.	A	B	C	H	S	WT(g)
TJ07A	66	47	50.5	119	2.5	287



美国螺杆滑轮

Solid Steel Y-Groove Wheel


NO.	D mm	A	M*L	WT(kg)
HL2Y102	102	46	1/2-13*95	2.44
HL2Y152	152	43.5	5/8-11*90	5.633



Double Side-Wall Bracket Galvanized

双轨托架


NO.	A	B	C	H	S	L	WT(g)
TJ20A	69	50	44.5	177	4	116	866



单滑轮框架

Sliding Gate WheelBox


NO.	L mm	H	A	S	WT(g)
H-HZ01	125	79	57	3	748
H-HZ02	170	102	59	4	1336



V型轨道

Galvanized Sliding Gate V Track


NO.	L mm	H	S	d	WT(kg)
HGVM3M	92	19.5	2.5	10.5	6.13
HGVM6M	92	19.5	2.5	10.5	12.26



美国底座


Steel Base Plate

NO.	D mm	A	B	H	WT(g)
DZ01A	13	153	148.5	128	2253.5




美国6轮轴承挂轮
Internal Slide Gate Track Trolley

NO.	D*C1 mm	C	D1	M	H	L	WT(kg)
GL18A	52*15	45	53	16	125	280	2.3



美国10轮轴承挂轮
Internal Slide Gate Track Trolley

NO.	D*C1 mm	C	D1	M	H	L	WT(kg)
GL19A	52*15	45	53	16	125	399	3.56




印章铰链
Adjustable Steel Barrel Hinges

NO.	D mm	L	A	B	WT(g)
JL33A	25	120	27	53	618
JL33B	35	172	38	80	1600




八字铰链
Round Barrel Body Hinge

NO.	D mm	L	S	WT(g)
JL36A	28	90	4	455



L杆印章铰链
Adjustable Steel Barrel Hinges


NO.	D mm	M	L	A	B	WT(g)
JL34A	25	M16	102	53	27	638
JL34B	35	M20	146	80	38	1372



可调铰链
Adjustable Barrel Hinge


NO.	D mm	L	L1	M	A	B	WT(g)
JL35A	25	100-128	140	M16	27	57	638
JL35B	35	153-190	160	M20	38	76	1372






L型长螺杆铰链
Gate Bolt Hinge

NO.	M mm	L	A	WT(g)
JL38A	5/8-11	350	63	642.5
JL38B	5/8-11	270	63	524.5




虎头铰链
Standard Duty Round Mounted Hinge

NO.	D mm	A mm	C	H	L	L1	WT(g)
JL47B	57	50	50	82	102	76	2317




轴承座铰链
Heavy Duty Swing Bearing Hinge

NO.	A mm	B	L	WT(g)
JL37A	38	37.5	72	932.5




可调虎头铰链
Standard Duty Round Mount Hinge

NO.	D mm	A mm	C	H	L	L1	WT(g)
JL49B	57	50	50	88-107	102	76	2432



美国铁板铰链
Butt Hinge


NO.	D mm	A	B	S	WT(g)
JL46A	9	51	51	2	56
JL46B	13	76	76	2	152
JL46C	15	76	76	3	213
JL46D	13	101.5	101.5	2	253
JL46E	19	101.5	101.5	4.5	495
JL46F	22.5	127	127	4	815
JL46G	27	152	152	5	1371
JL46H	29	100	100	6	839



美国旋转铰链
2 Way Lockable Hinge


NO.	D mm	A	C mm	B	L	WT(g)
JL69A	19	138	28.5	87	138-163	762






长L插销
Gate Latch

NO.	D	L	A	S	WT(g)
CX40A	12	300	41	3	441
CX40B	12	450	41	3	568
CX40C	12	600	41	3	701
CX40D	14	300	41	3	545
CX40E	14	450	41	3	716
CX40F	14	600	41	3	896
CX40G	16	300	46	3	671
CX40H	16	450	46	3	888
CX40I	16	600	46	3	1122




美国拉钩插销
Spring Pipe Latch

NO.	D mm	A	C	L	WT(g)
CX14B	19	177	26	200-240	793.5




美国橄榄型弹簧插销
Spring Latch

NO.	D mm	A	B	WT(g)
CX24A	13	160	80	346.5




美国宽轮框架
Plastic Guide Roller

NO.	D mm	A	L	S	WT(g)
KJ21A	62.5	95	3'	5	691
KJ21B	62.5	167	6'	5	1069
KJ21C	62.5	320	12'	5	1836




美国双锁孔插销
Slide Bolt Latch

NO.	D mm	A	C	L	S	WT(g)
CX03A	12	79	25	140	2	253



美国弹簧插销
Spring Latch


NO.	D mm	A	B	C	L	S	WT(g)
CX01A	11	87	42	50	180	3	322



美国宽轮框架
Plastic Guide Roller


NO.	D mm	A	L	S	WT(g)
KJ12A	66	168	6	5	1127
KJ12B	66	320	12	5	1963






方管连角
Square Tube Corner

NO.	A	B	S	WT(g)
FGLJ01A	25.4	25.4	1.5	81
FGLJ01B	31.5	31.5	1.5	81
FGLJ01C	38	38	1.5	81
FGLJ01D	51	51	1.5	136



中间突出立柱底板
Steel Raised Base Plate

NO.	A*B mm	A1*B1	S	WT(g)
LZDB02A	100*100	26.5*26.5	3	249
LZDB02B	100*100	33.5*33.5	3	239
LZDB02C	100*100	39.5*39.5	3	225
LZDB02D	125*125	52*52	3	347
LZDB02E	100*100	41*41	3	220




美国圆盘柱盖
Steel Post Cap

NO.	D mm	H	S	WT(g)
ZG05A	1 5/8"	21	2	40
ZG05B	2 3/8"	28	2.5	102
ZG05C	2 7/8"	30.5	2.5	138
ZG05D	3 1/2"	34	2.5	197
ZG05E	4"	30	2.5	231
ZG05F	4 1/2"	35	2.5	287
ZG05G	6 5/8"	35	2.5	543
ZG05H	8 5/8"	35	2.5	911




铁块链杆
Wire Rope Clip(EYE BOLT AND NUT)

NO.	D mm	L	WT(g)
LG02A	1/2-13	288	460
LG02B	5/8-11	295	694




圆管连角
Steel Pipe Elbow

NO.	D mm	Rb	S	WT(g)
WG01A	16	28	3	65
WG01B	22	24	3	94
WG01C	21	15	3	75
WG01D	26	21	4	168
WG01E	35	29	3.5	240
WG01F	41	34	3.5	330
WG01G	52.5	47.5	4	651
WG01H	62	58	5	1199




美国梯形柱盖
Square Steel Post Cap

NO.	A mm	H	S	WT(g)
ZG10A	17	16	1.2	8
ZG10B	20	17.5	1.2	10
ZG10C	26.5	19.5	1.2	16
ZG10D	33	22	1.2	25
ZG10E	39	24.5	1.2	34
ZG10F	52	32	1.2	56
ZG10G	64.5	36.5	1.2	82
ZG10H	77	43	1.2	121
ZG10I	103	51	1.2	200
ZG10J	128	60	1.2	309
ZG10K	153.5	70	1.2	434



锚型链杆
Wire Rope Clip(EYE BOLT AND NUT)


NO.	D mm	L	D1	A	WT(g)
LG01A	50	130	48.5	15	434.5



圆管滚轮

Cantilever Gate Roller


NO.	D mm	D1	H	d	d1	WT(g)
YGGL01A	158	118	91	63	12.5	5327



圆管滚轮

Cantilever Gate Roller


NO.	D mm	H	d	C	M	B	WT(g)
YGGL01B	180	88	32	25-47	M16	107	5926.2



方管滚轮

Cantilever Gate Roller


NO.	D mm	d	H	A	B	WT(g)
FGGL01A	158	12.5	91	132	132	5890



方管滚轮

Cantilever Gate Roller


NO.	D mm	H	d	C	M	B	WT(g)
FGGL01B	180	88	54	25-47	M16	107	6618.8



门兜

End Stop

NO.	D mm	H	L	A	C	S	WT(g)
ZJ01A	130	160	150	38*38	216	6	2414



导轮

Guide Wheel


NO.	D mm	H	d	L	L1	WT(g)
ZJ03A	170	52	74	453	13-133.5	4556



框架



Guide Bracket

NO.	A mm	B	H	L	S	WT(g)
ZJ02A	110	110	113	153	10	3763



名称 -ARTICLE Weld tab

NO.	Hmm	L	S	WT(g)
LJP001A	41	25	3	21
LJP001B	57	25	3	36
LJP001C	70	28	3	83
LJP001D	89	50	3	116






名称 -ARTICLE Weld tab

NO.	Hmm	L	S	WT(g)
LJP002A	57	25	3	36



名称 -ARTICLE Base Plate

NO.	Hmm	L	S	WT(g)
LJP005A	38	87	4	104
LJP005B	38	102	4	122





名称 -ARTICLE Slot Clip

NO.	Hmm	L	S	WT(g)
LJP006A	89	153	5	445.5



名称 -ARTICLE 4 Hole Purlin Clip

NO.	Hmm	L	S	WT(g)
LJP008A	153	178	5	926.5





名称 -ARTICLE 2 Hole Purlin Clip

NO.	Hmm	L	S	WT(g)
LJP010A	152	175	5	967




名称 -ARTICLE FB Clip

NO.	Hmm	L	S	WT(g)
LJP009A	76	76	3.5	148



名称 -ARTICLE Purlin Clip

NO.	Hmm	L	S	WT(g)
LJP011A	102	102	6	458.5
LJP011B	153	153	6	1095






名称 -ARTICLE Purlin Clip

NO.	Hmm	L	S	WT(g)
LJP012A	48	146	3	169.5
LJP012B	83	216	6	907.5
LJP012C	89	203	9.5	1196

名称 -ARTICLE Purlin Clip Base

NO.	Hmm	L	S	WT(g)
LJP013A	204	215	10	3153





名称 -ARTICLE Chain Latch

NO.	Hmm	L	S	WT(g)
LJP015A	50.5	150	6	210.5

名称 -ARTICLE Gate Latch

NO.	Hmm	L	S	WT(g)
LJP016A	57	100	4	64



名称 -ARTICLE Chain Latch

NO.	Hmm	L	S	WT(g)
LJP017A	56	111	4	98

名称 -ARTICLE 23/8 flat

NO.	A	D	WT(g)
LJP014A	5	60.3	112



名称 -ARTICLE 27/8 flat

NO.	A	D	WT(g)
LJP014B	3	72	105.5




名称 -ARTICLE Round Bar

NO.	L	A	D	WT(g)
JZWJ01A	135	38.5	125	159.5

名称 -ARTICLE FENCE CLIPS

NO.	L	A	D	WT(g)
JZWJ02A	63	28	6	20.5





名称 -ARTICLE Spring

NO.	L	A	D	WT(g)
JZWJ03A	300	44	8	1391

名称 -ARTICLE Pipe Sleeve Hinge

NO.	L	A	D	WT(g)
JZWJ05A	77	15	735	10345
JZWJ05B	77	25	60	861





名称 -ARTICLE Base Plate Stud

NO.	L	A	D	WT(g)
JZWJ06A	150	28	12.5	180.5

名称 -ARTICLE Trailer Door Latch

NO.	L	A	D	WT(g)
JZWJ07A	165	139	12.5	354.5





名称 -ARTICLE Angle Weld Bracket

NO.	Hmm	L	A	S	WT(g)
LJP003A	38	38	38	4	83
LJP003B	44.5	25	89	4	90
LJP003C	45	38	102	4	176

名称 -ARTICLE Flower Weld Tab

NO.	Hmm	L	A	S	WT(g)
LJP004A	70	70	25.5	2.5	45





名称 -ARTICLE Fence Clip

NO.	Hmm	L	A	S	WT(g)
LJP018A	30	116	26	2	49.5



名称 -ARTICLE Striker Plate

NO.	Hmm	L	A	S	WT(g)
LJP019A	54	108	102	5	632



名称 -ARTICLE Steel Clip

NO.	Hmm	L	A	S	WT(g)
LJP020A	73	405	73	3	135.5



名称 -ARTICLE Small Spring Hanger




NO.	Hmm	L	A	S	WT(g)
LJP022A	60	50	76	55	425

名称 -ARTICLE Continuous Clips

NO.	Hmm	L	A	S	WT(g)
LJP021A	33	85	17	2.5	49.5
LJP021B	50	116	22	2	100



名称 -ARTICLE Large Spring Hanger

NO.	Hmm	L	A	S	WT(g)
LJP023A	98	60	75	5.5	733



名称 -ARTICLE Stake Pocket

NO.	Hmm	L	A	S	WT(g)
LJP024A	49	100	76	4	457.5



名称 -ARTICLE Bracket

NO.	Hmm	L	A	S	WT(g)
JZWJ04A	62	63	40	3	780

名称 -ARTICLE Hinge Strap

NO.	Hmm	L	A	S	WT(g)
LJP025A	49	35.5	38	4	128.5

Weifang Jinzita Metalworks Co., Ltd.

Linqu, Weifang, Shandong.China

Telephone: +8613371092201

Email enquiries can be sent to:

info@jztmetalworks.com

Website:jztmetalworks.com